




STATE: Punjab

DATED:01/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instit.	Std. Comm. /QCI	Approval by Sub-Committee of NCVT		
1 ✓ Govt. ITI, Lalru, Dist. Patiala Punjab DGET-6/19/11/97-TC	MMV	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	DIR-20/5/2008 w.e.f. Aug 2013	
2 ✓ Modern Private ITI, Lakho Ke Behram, Teh. Dist. Ferozepur-152002 Punjab DGET-6/19/49/2011-TC	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	SCIR-19/7/2012 SIR-25/6/2013 w.e.f. Aug 2013	
3 ✓ Bhan Suhella Private ITI, VPO. Nathuwala Jadid, Dist. Moga Punjab DGET-6/19/3/2013-TC (New Pvt.)	Welder	2(1+1)	2(1+1)	2(1+1)	Assessment-15/6/2013 w.e.f. Aug 2013	
4 ✓ Global Private ITI, 17Km mile Stone, Near Vill. Nathoke, Nihal Singh Wala Road, Baghapurana, Dist. Moga Punjab DGET-6/19/4/2013-TC (New Pvt.)	Plumber Welder (G&E)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Assessment-12/6/2013 w.e.f. Aug 2013	
5 ✓ Jaswant Private ITI, Near Bus Stand, Super Market, Sunam Th. Dist. Sunam Punjab DGET-6/19/8/2011-TC	Electrician COPA	Addl. 2(1+1) 2(1+1)	Addl. 2(1+1) 2(1+1)	Addl. 2(1+1) Total 4(2+2) 2(1+1)	Assessment-15/6/2013 w.e.f. Aug 2013	

-1-


 N. YADAV
 Director for Training
 संयुक्त शिक्षण प्रशासनिक विभाग
 डी.जी.ई. एंड टी., श्रम एवं रोजगार मंत्रालय
 D.G.E.&T., Min. of Labour & Employment
 भारत सरकार / Govt. of India
 नई दिल्ली / New Delhi