

Part C: Procurement Plan

Procurement Plan: IMC to submit the procurement plan for ITI as per Section 4.2- Procurement guidelines in the below format:

GOVT INDUSTRIAL TRAINING INSTITUTE, FARIDKOT.

Items to be procured

S.No.	Name of the item	Specifications	Trade	Quantity of the Item required	Tentative Rate per Unit	Total Estimated Cost	Method of procurement (e-g.Shopping/Competitive)
1	FOOT Rule steel tape	6 metrs four fold Stainless Steel	Carpenter	50	120	6,000	GEM/ Open
2	Steel measuring scale	Standard Steel Rule of 300 mm	Carpenter	50	60	3,000	GEM/ Open
3	Marking Knife,200 mm	Marking Knife 200 MM material	Carpenter	30	90	2,700	GEM/ Open
4	Square, bevel,200 mm	tempered steel Blade	Carpenter	30	90	2,700	GEM/ Open
5	Carpenter marking gauge. -	Carpenter marking gauge.stock	Carpenter	10	310	3,100	GEM/ Open
6	Carpenter mortise gauge	Carpenter mortise gauge Stock	Carpenter	10	290	2,900	GEM/ Open
7	Saw hand, 450mm	Saw hand 40 MM closed	Carpenter	30	170	5,100	GEM/ Open
8	Saw tenon,300mm	Saw tenon 300 MM Wooden	Carpenter	35	50	1,750	GEM/ Open
9	Plane jack metal,335 x50 mm	Plane jack metal 335 x50 mm	Carpenter	10	1,200	12,000	GEM/ Open
10	Chisel Mortise-6,10,15,mm	Chisel Mortise 6 mm Wooden	Carpenter	30	460	13,800	GEM/ Open
11	Screwdriver (Cabinet maker),	Screwdriver (Cabinet 300 MM	Carpenter	30	160	4,800	GEM/ Open
12	Mallet medium size-	Mallet medium size size - 6"	Carpenter	30	240	7,200	GEM/ Open
13	Oil stone	Oil stone (Carborundum)	Carpenter	30	270	8,100	GEM/ Open
14	Hand brush for bench cleaning	a standard size 450mm	Carpenter	10	150	1,500	GEM/ Open
15	Router plane	Materials	Carpenter	2	600	1,200	GEM/ Open
16	File slim taper 100mm	material - high carbon steel	Carpenter	12	270	3,240	GEM/ Open
17	File slim taper 150mm	material - high carbon steel	Carpenter	12	100	1,200	GEM/ Open
18	Centre bits-6,8,10,12 mm	Centre bits 6,8,10,12 mm size -	Carpenter	1	360	360	GEM/ Open
19	Combination Cutting pliers	Combination pliers 200 mm	Carpenter	2	410	820	GEM/ Open
20	Plunger saw set / pistol grip	Plunger saw set / pistol grip	Carpenter	2	740	1,480	GEM/ Open
21	Electric blower	capacity 2.0mm3/min , 750	Carpenter	3	4,100	12,300	GEM/ Open
22	Spanner double ended set of 12	Spanner set made of Drop	Carpenter	1	1,300	1,300	GEM/ Open
23	Fire bucket	Standard Fire Buckets made of	Carpenter	2	900	1,800	GEM/ Open
24	Steel locker, 8 compartment	Made of mild steel 20 gauge	Carpenter	1	11,000	11,000	GEM/ Open
25	Portable Circular Saw Machine	1150 W powerfull motor ,speed	Carpenter	1	7,200	7,200	GEM/ Open
26	portable electric Drill 6mm	capicity- 6 mm	Carpenter	1	3,000	3,000	GEM/ Open
27	Power Screw Driver	body aluminium 440 watt	Carpenter	2	1,800	3,600	GEM/ Open
28	Set of turning tools for lathe	Materials	Carpenter	1	1,266	1,266	GEM/ Open
29	Drill machine 12mm capacity	Piller type Drill machine with	Carpenter	1	9,500	9,500	GEM/ Open
30	Power drill machine	500 watt powerful motor,speed	Carpenter	2	3,500	7,000	GEM/ Open
31	Drill Chuck 12 mm Capacity	drill chuck, 12mm capacity with	Carpenter	1	1,680	1,680	GEM/ Open
32	Portable disc sander 200 mm	disc scander 200 mm dia.170	Carpenter	1	11,000	11,000	GEM/ Open
33	Electric heater, 1000/1500 W	Electric heater, 1000/1500 W	Carpenter	1	2,400	2,400	GEM/ Open
34	Electrical drying oven(small type)	digital temperature control provides precise and accurate control of drying temperature	Carpenter	1	14,000	14,000	GEM/ Open Tender
35	CD-1 & DVD-1 of different joint	Inspection & codes DVD/ CDs	Carpenter	2	500	500	GEM/ Open
36	Chisel Firmer(Bevel edged),	Chisel Firmer(Bevel edged)	Carpenter	30	1,400	42,000	GEM/ Open
37	Carpenter vice jaws,250mm	Materials :-	Carpenter	34	1,300	44,200	GEM/ Open
38	Carpenter's work bench	body cast iron , top wood ,	Carpenter	4	9,400	37,600	GEM/ Open
39	Portable Planing Machine	600 W powerful motor,speed	Carpenter	2	8,800	35,200	GEM/ Open
40	Portable Jig Saw Machine	aMinimum 700 W powerful	Carpenter	2	15,000	30,000	GEM/ Open
41	Wood turning lathe, 150mm	Wood turning lathe, 150mm	Carpenter	2	22,666	45,332	GEM/ Open
42	Tenoning machine (Single	Tenoning machine (Single	Carpenter	1	73,000	73,000	GEM/ Open
43	Mortising machine (Combined	1)Mortising machine chisel type	Carpenter	1	65,000	65,000	GEM/ Open
44	Student chairs with writing pads	Chair Frame made of M.S	Carpenter	50	600	30,000	GEM/ Open
45	Instructors laptop with latest	Intel i7 processor(3.4 GHz, 8 MB	Carpenter	01no	30,000	30,000	GEM/ Open
46	LCD projector with screen	type DLP, Multimedia projector	Carpenter	01nos	34,000	34,000	GEM/ Open
47	Visualizer (latest configuration)	Visualizer (latest configuration)	Carpenter	01no	32,000	32,000	GEM/ Open Tender
48	Combined surface and Thickner	Combined Surface and thickner -maximum planing with 450mm,thicknessing capacity 9 inch,power 3HP,1440 rpm,3 ph,,With accessory	Carpenter	01nos	100,000	100,000	GEM/ Open Tender
49	Small type compressor with	Motor Capacity 1 HP, Single	Carpenter	01nos	15,000	15,000	GEM/ Open
50	Protractor celluloid	15 cm semi- circular.	Draughtsman Civil	18	200	3,600	GEM/ Open Tender
51	Scale card board	metric set of eight A to H in	Draughtsman	18	300	5,400	GEM/ Open
52	Scales plotting box	wood 6 metric scales 30	Draughtsman	24	400	9,600	GEM/ Open
53	Set square transparent	20 cm, 2 mm thick with	Draughtsman	14	200	2,800	GEM/ Open
54	Set square celluloid	25 cm,2mm thick with	Draughtsman	14	200	2,800	GEM/ Open
55	T-Square 1250mm/Mini	Parallel Bar celluloid	Draughtsman	13	600	7,800	GEM/ Open
56	Template –Architects and Geometrical	Made of P.V.C sheet 2mm wooden/plastic i) Cube 08	Draughtsman	18	500	9,000	GEM/ Open
57	Templates – Circle, Ellipse,	Circle, Ellipse, furniture, etc	Draughtsman	4	2000	8,000	GEM/ Open
58	Steel arrow, wooden peg,	Steel arrow, wooden peg, wooden	Draughtsman	4	500	2,000	GEM/ Open
59	Printer (Desk jet / Laser jet)	Motorized screen required	Draughtsman	10	500	5,000	GEM/ Open
60	Printer (Desk jet / Laser jet)	A3 size scanner	Draughtsman	1	10,000	10,000	GEM/ Open
61	Server work station with latest	Latest Model available	Draughtsman	1	15,000	15,000	GEM/ Open
62	Broad Band connection	Latest Model available	Draughtsman	1	10,000	10,000	GEM/ Open
63	Furniture for server, printer,	Standrad available size	Draughtsman	1	15,000	15,000	GEM/ Open
64	White Board (6' x 4')	6' x 4' ft	Draughtsman	2	4,500	9,000	GEM/ Open
65	First Aid Box	basic medicines & bandage, Cotton, Qty Meter, Thermometer	Draughtsman	2	10,000	20,000	GEM/ Open
66	Screen for Projector	Motorized screen required	Draughtsman	2	10,000	20,000	GEM/ Open
67	Fire Extinguisher	Foam based Cylinder type	Draughtsman	2	5,000	10,000	GEM/ Open

68	Wall Clock	Digital Display Date Time &	Draughtsman	1	2,000	2,000	GEM/ Open
69	Steel Cupboard 120 x 60 x 45 cm	Size 120 x 60 x 45 cm	Draughtsman	2	10,000	20,000	GEM/ Open
70	Book Shelf	Standrad size	Draughtsman	2	10,000	20,000	GEM/ Open
71	Trainer's / Instructor's table	6 feet x 4 feet	Draughtsman	2	10,000	20,000	GEM/ Open
72	Box drawing instrument	Containing one 15 cm compass	Draughtsman	17	1700	28900	GEM/ Open
73	Auto level With all accessories	Auto level levelling instrument	Draughtsman	2	25,000	50000	GEM/ Open
74	Transit Theodolite with stand	Transit theodolite made by ms	Draughtsman	2	24,000	48000	GEM/ Open
75	Digital Theodolite	latest model With all accessories	Draughtsman	2	50,000	100000	GEM/ Open
76	Instrument for Total Station	Angle Measurement Accuracy	Draughtsman	2	100,000	200000	GEM/ Open
77	Hand held GPS (latest model)	GPS 60 with battery charger ,AC	Draughtsman	2	20,000	40000	GEM/ Open
78	Personal computer with latest	Intel i5 processor and higher(3.4	Draughtsman	24	70,000	1680000	GEM/ Open
79	CAD software(24 USERS)	Minimum 8 hours rechargeable	Draughtsman	1	50,000	50000	GEM/ Open
80	Plotter A1 size	battery .Poles and Prism 2Nos	Draughtsman	1	150,000	150000	GEM/ Open
81	UPS	5 KV with 30 min. back up for 24	Draughtsman	1	60,000	60000	GEM/ Open
82	Computer Table	Computer Desk, Straight Set-up	Draughtsman	20	4,000	80000	GEM/ Open
83	Computer Chair.	Revolving Chair with Wheels,	Draughtsman	14	3,000	42000	GEM/ Open
84	DLP Projector	Latest Model available	Draughtsman	2	50,000	100000	GEM/ Open
85	Air Conditioner	2.0 Ton split type, Min three star	Draughtsman	2	65,000	130000	GEM/ Open
86	Document Camera / Visualiser	Latest Model available	Draughtsman	2	50,000	100000	GEM/ Open
87	Smart Board / Inter Active	Latest Model available	Draughtsman	2	25,000	50000	GEM/ Open
88	Steel Cupboard	H180 xW 90 xD 45 cm, Material:	Draughtsman	2	15,000	30000	GEM/ Open
89	E. LIST OF FURNITURE:-		Draughtsman				GEM/ Open
90	Class room chairs (armless)	Body Material:Steel,	Draughtsman	24	3,000	72000	GEM/ Open
91	Class room table Dual desk	for two trainees wooden seat	Draughtsman	12	4,000	48000	GEM/ Open
92	Drawing Table with Board	Length:750mmx Width:550mm,	Draughtsman	32	5,000	160000	GEM/ Open
93	Welding helmet fiber	Very sturdy and light weight.	Welder	10	200	2,000	GEM/ Open
94	Chipping hammer with metal	Chipping hammer with spring	Welder	42	100	4,200	GEM/ Open
95	Stainless steel rule 300 mm	Standard Steel Rule of 300 mm	Welder	30	80	2,400	GEM/ Open
96	Hacksaw frame fixed 300 mm	Standard Hacksaw Fixed frame	Welder	28	125	3,500	GEM/ Open
97	File half round bastard 300 mm	A Standard half round File 300	Welder	21	400	8,400	GEM/ Open
98	File flat 350 mm bastard	A Standard Flat File 350	Welder	21	300	6,300	GEM/ Open
99	Hammer ball pane 1 kg with	hammer ball pein 1 kg with	Welder	28	150	4,200	GEM/ Open
100	Tip cleaner	standard cleaning wires sizes	Welder	8	50	400	GEM/ Open
101	CO2 gas pressure regulator	Heavy duty double stage	Welder	1	4,000	4,000	GEM/ Open
102	Argon gas pressure regulator	Heavy duty double stage	Welder	1	4,000	4,000	GEM/ Open
103	Flash back arrester (torch	A spring loaded non-return	Welder	4	2,000	8,000	GEM/ Open
104	Flash backarrester (cylinder	A temperature sensitive cut-off	Welder	4	2,000	8,000	GEM/ Open
105	Multiangle magnetic clamp set	Metal base(18x10x10cm)	Welder	1	2,000	2,000	GEM/ Open
106	Auto Darkening Welding	Solar/Battery operated	Welder	5	2,200	11,000	GEM/ Open
107	Swage block	Swage block 50kg	Welder	1	5,000	5,000	GEM/ Open
108	Swaging and flooring tool kit 450	1/8 to 3/4 inch	Welder	1	3,000	3,000	GEM/ Open
109	Leg guards leather	ISI mark standrad size	Welder	20	150	3,000	GEM/ Open
110	Gas welding Goggles with	3 or 4A DIN	Welder	23	100	2,300	GEM/ Open
111	AG 4 Grinding wheels	dia100mm x 12mm thick	Welder	50	30	1,500	GEM/ Open
112	Anti spatter spray can	100 to 300 ml	Welder	5	200	1,000	GEM/ Open
113	GMAW Torch nozzle tip	Size 0.8, 1.0, 1.2 (in mm)	Welder	15	75	1,125	GEM/ Open
114	TIG welding torch ceramic nozzle	Size 3,4,5,6,8	Welder	20	15	300	GEM/ Open
115	Tungsten electrode	1.0, 1.6, 2.0 (in mm), length 150 r	Welder	15	100	1,500	GEM/ Open
116	AG4 cutting wheels	Dia 100mm x 02mm thick	Welder	100	10	1,000	GEM/ Open
117	Students chairs with writing	Chair Frame made of M.S	Welder	20	500	10,000	GEM/ Open
118	Welding Process, Inspection &	Inspection & codes DVD/ CDs	Welder	1	500	500	GEM/ Open
119	Work bench 340x120x75 cm	Work bench 340x120x75 cm	Welder	2Set	50,000	100,000	GEM/ Open
120	Welding Simulators for	input power 230V/50Hz, LED	Welder	1	250,000	250,000	GEM/ Open
121	Water cooled induction	200-250 Amp., induction coil	Welder	1	50,000	50,000	GEM/ Open
122	Plastic welding machine with hot	temp. display, variable temp.,	Welder	1	30,000	30,000	GEM/ Open
123	Instructors lap top with	Intel i7 processor(3.4 GHz, 8 MB	Welder	1	40,000	40,000	GEM/ Open
124	LCD projector with screen.	type DLP, Multimedia projector	Welder	1	40,000	40,000	GEM/ Open
125	Welding helmet fiber	Very sturdy and light weight.	Welder	8	200	1,600	GEM/ Open
126	Welding hand shield fiber	Very sturdy and light weight. .	Welder	8	200	1,600	GEM/ Open
127	Chipping hammer with metal	Chipping hammer with spring	Welder	42	125	5,250	GEM/ Open
128	chisel cold flat 19 mm X150mm	chisel cold flat with face size	Welder	8	120	960	GEM/ Open
129	Centre punch 9 mmX127	centre punch with face 9mm,	Welder	8	100	800	GEM/ Open
130	Dividers 200 mm	divider with 200 mm length,	Welder	8	150	1,200	GEM/ Open
131	Stainless steel rule 300 mm	Standard Steel Rule of 300 mm	Welder	34	50	1,700	GEM/ Open
132	Scriber 150 mm double point	Scriber of 150mm length, both	Welder	8	50	400	GEM/ Open
133	Flat Tongs 350 mm long	tongs flat in size of 350mm long	Welder	8	150	1,200	GEM/ Open
134	Hacksaw frame fixed 300 mm	Standard Hacksaw Fixed frame	Welder	36	200	7,200	GEM/ Open
135	file half round bastard 300 mm	A Standard half round File 300	Welder	30	150	4,500	GEM/ Open
136	File flat 350 mm bastard	A Standard Flat File 350	Welder	30	150	4,500	GEM/ Open
137	Hammer ball pane 1 kg with	hammer ball pein 1 kg with	Welder	38	100	3,800	GEM/ Open
138	Tip cleaner	standard cleaning wires sizes	Welder	8	250	2,000	GEM/ Open
139	Try Square 6 "	Having length of 6 inches blade	Welder	8	100	800	GEM/ Open
140	Spanner D.E , 6 mm to 32 mm	Spanner set made of Drop	Welder	2	500	1,000	GEM/ Open
141	Flash back arrester (torch	A spring loaded non-return	Welder	4	2,000	8,000	GEM/ Open
142	Flash backarrester (cylinder	A temperature sensitive cut-off	Welder	4	2,000	8,000	GEM/ Open
143	Auto Darkening Welding Helmet	Solar/Battery operated	Welder	5	500	2,500	GEM/ Open
144	Anvil 24 sq.inches working area	Anvil 24 sq.inches working area	Welder	1	6,000	6,000	GEM/ Open
145	Swage block 16x16x16 Inches	Swage block 50kg	Welder	1	5,000	5,000	GEM/ Open
146	Leather hand gloves 14 "	14"	Welder	4	250	1,000	GEM/ Open
147	Cotton hand Gloves 8"	8"	Welder	4	150	600	GEM/ Open
148	Leather hand sleeves 16"	16"	Welder	4	500	2,000	GEM/ Open
149	Leg guards leather	ISI mark standrad size	Welder	21	400	8,400	GEM/ Open
150	Leather Apron leather	ISI mark	Welder	4	1,200	4,800	GEM/ Open
151	Wire brush (MS & SS) 5 rows	(MS & SS) 5 rows and 3 rows	Welder	4 each	100	800	GEM/ Open
152	Safety boots for welders 7,8,9,10	ISI mark 7,8,9,10	Welder	4	1,450	5,800	GEM/ Open
153	AG 4 Grinding wheels	Dia 100mm x 12mm thick	Welder	50	50	2,500	GEM/ Open
154	Arc welding single coloured	108 mm x 82 mm x 3 mm. DIN	Welder	20 each	100	6,000	GEM/ Open
155	Bubble face shield clear with rubb	Fits all faces. 100%Transparent	Welder	21	350	7,350	GEM/ Open
156	Dye penetrant testing kit	Chek-Mate Dye penetrant	Welder	01 set	450	450	GEM/ Open
157	Welding Transformer with all	Input Voltage= AC 415V+ -	Welder	1	150,000	150,000	GEM/ Open
158	Work bench 340x120x75 cm	Work bench 340x120x75 cm	Welder	5	50,000	250,000	GEM/ Open
159	Bench grinder fitted with fine	Bench grinder fitted with fine	Welder	1	30,000	30,000	GEM/ Open
160	Welding Simulators for	input power 230V/50Hz, LED	Welder	1	250,000	250,000	GEM/ Open

161	Caliper out side spring joint	150 mm Centrally mounted	Turner	11	80	990	GEM/ Open
162	Caliper inside spring joint	Divider 150 cm spring	Turner	12	90	1080	GEM/ Open
163	Caliper odd-leg firm joint	Divider 150 cm spring	Turner	5	95	475	GEM/ Open
164	Steel Rule	150mm Standard Stainless	Turner	35	80	2800	GEM/ Open
165	Scriber	Scriber 150mm length Scriber	Turner	40	60	2400	GEM/ Open
166	Hammer ball peen	250 gms ball peen with handle	Turner	38	80	3040	GEM/ Open
167	Centre punch	100mm Set is made from	Turner	39	70	2730	GEM/ Open
168	Prick punch	150mm, Prick Punch Set is	Turner	8	65	520	GEM/ Open
169	Divider spring joint	Divider spring joint 150 mm	Turner	26	90	2340	GEM/ Open
170	Safety goggles clear glass (Good	Impact resistant molded lens	Turner	39	190	7410	GEM/ Open
171	Chisel cold flat	Chisel size: blade 20mm x	Turner	6	100	600	GEM/ Open
172	Hammer copper/brass	Hammer ball pain copper/brass	Turner	12	350	4200	GEM/ Open
173	Hacksaw fixed	200mm,(pistol grip)hacksaw is	Turner	4	150	600	GEM/ Open
174	File flat	A Standard File Flat 300 mm	Turner	6	120	720	GEM/ Open
175	File flat	A Standard File Flat 250mm	Turner	2	150	300	GEM/ Open
176	File flat	A Standard File Flat 250 mm	Turner	4	150	600	GEM/ Open
177	File half round	A Standard File half round 250	Turner	6	200	1200	GEM/ Open
178	File round	A Standard File round smooth	Turner	3	200	600	GEM/ Open
179	File half round	A Standard File half round	Turner	2	200	400	GEM/ Open
180	Combination set	Combination Set Square With	Turner	6	4000	24000	GEM/ Open
181	Pliers flat nose	150MM equipment's. Plain	Turner	13	120	1560	GEM/ Open
182	Micrometer Inside	range 25-50mm least count	Turner	1	3000	3000	GEM/ Open
183	Vernier Bevel Protractor	300 mm blade with NABL	Turner	4	3500	14000	GEM/ Open
184	Vernier Micrometer	0 - 25 mm o/s LC 0.001mm with	Turner	2	4500	9000	GEM/ Open
185	Vernier Micrometer	25 - 50 mm outside Least	Turner	2	4500	9000	GEM/ Open
186	Vernier Micrometer	0 inch to 1 inch. Outside Least	Turner	2	4500	9000	GEM/ Open
187	Gauge -Radius set	1 mm to 25 mm by 0.5mm	Turner	2	500	1000	GEM/ Open
188	Vernier Height Gauge	0-300 mm , LC =0.02 mm with	Turner	1	4500	4500	GEM/ Open
189	Magnifying Glass	75 mm with magnifying factor	Turner	3	200	600	GEM/ Open
190	Plain Ring and Plug Gauge	Plain Ring and Plug Gauge 12 to	Turner	1	300	300	GEM/ Open
191	Wheel Dresser Diamond	Wheel Dresser Diamond (Turner	2	500	1000	GEM/ Open
192	Screw Thread micrometer	Screw Thread micrometer (0-	Turner	1	5000	5000	GEM/ Open
193	Morse Taper Plug & Ring Gauge	Morse Taper Plug & Ring Gauge	Turner	1	4900	4900	GEM/ Open
194	Sin Bar with centers	200 mm	Turner	2	4500	9000	GEM/ Open
195	Slip Gauge metric set	(87 pieces in a Box) with	Turner	2	5000	10000	GEM/ Open
196	Tap & Die Set	Metric -3 to 24 mm	Turner	2	7000	14000	GEM/ Open
197	Boring Tool holder	6 mm sq. tool bit	Turner	15	300	4500	GEM/ Open
198	Stainless steel rule 300 mm	Standard Steel Rule of 300 mm	Turner	15	80	1200	GEM/ Open
199	Oil Can	½ pint (pressure feed system)	Turner	6	150	900	GEM/ Open
200	Dog Carrier	25, 50 and 75 mm	Turner	12	250	3000	GEM/ Open
201	Angle Plate	Adjustable -150x175x250mm	Turner	2	3600	7200	GEM/ Open
202	Spirit Level	0.05 mm/ 200 mm	Turner	2	2000	4000	GEM/ Open
203	Combination Drill / Centre Drill	A3,A4 & A5	Turner	1	1800	1800	GEM/ Open
204	Oil Stone	12 mm sq. x 100 long fine	Turner	12	90	1080	GEM/ Open
205	Tap Wrench (adjustable)	M6,M8,M10,M12, This is	Turner	9	200	1800	GEM/ Open
206	Tool Bit assorted sizes on holder	Tool Bit assorted sizes on	Turner	8	1000	8000	GEM/ Open
207	Machine Vice - Swivel Base	100mm. Jaw opening (Heavy	Turner	1	4000	600	GEM/ Open
208	Spare Grinding Wheel Ajax type	As per M/C Bore Dia,High-	Turner	1	1000	1000	GEM/ Open
209	Angle Gauge for tool grinding	Standard, Angle Gauge for tool	Turner	6	400	2400	GEM/ Open
210	Hand Chaser	M-12 & M-16 (External)	Turner	2	2000	4000	GEM/ Open
211	Hand Chaser	M-12 & M-16 (Internal)	Turner	2	2000	4000	GEM/ Open
212	Tool Cemented carbide	sets of 12 now.	Turner	1	4000	4000	GEM/ Open
213	Thread Plug Gauge (M-20 & M-	M-20 & M-21	Turner	1	6000	6000	GEM/ Open
214	Thread Ring Gauge	M-20 & M-21	Turner	1	6000	6000	GEM/ Open
215	Machine Chaser (M-12 TO M-21	M-12 TO M-21 (Std. Series) to	Turner	1	4900	4900	GEM/ Open
216	Gauge Drill Grinding	Standard,Gauge Drill Grinding	Turner	1	300	300	GEM/ Open
217	Magnetic Chuck (150 mm	150 mm dia.(Circular type)	Turner	1	4900	4900	GEM/ Open
218	Lathe Mandrels (Diff. Types)	Contains mandrel with spacers,	Turner	1	4900	4900	GEM/ Open
219	Conventry Type Die Head (Self	1/4" to 1" (Threading	Turner	1	4800	4800	GEM/ Open
220	Collapsible Tap with attachment	The tripod socket is now part of	Turner	2	4500	9000	GEM/ Open
221	Fire buckets	Standard Fire Buckets made of	Turner	2	600	11000	GEM/ Open
222	Bore dial gauge stems	12 to 35 mm, 35 to 65 mm., dial	Turner	1	4500	4500	GEM/ Open
223	Tool holders	CNC Grooving tools (External &	Turner	1	5000	5000	GEM/ Open
224	Digimatic Electronic Vernier	inch and mm 8"/200 mm. LCM	Turner	2	4500	9000	GEM/ Open
225	Digimatic electronic outside	(0 to 25 mm & 25 to 50 mm) LC	Turner	1	5000	5000	GEM/ Open
226	Dial Vernier Caliper with metric	System of Measurement	Turner	6	4900	29400	GEM/ Open
227	Tool Bits	12*150 mm make with High	Turner	15	2000	30000	GEM/ Open
228	Power saw machine – hydraulic	Saw head unit is supported by	Turner	1	65000	65000	GEM/ Open
229	CNC lathe/CNC turn Centre	Machine Capacity: a. Swing	Turner	1	1400000	1400000	GEM/ Open
230		with safety compliance 1	Turner				GEM/ Open
231	a) Simulator	Intel i5 & i7 processor(3.4 GHz,		1	600000	600000	GEM/ Open
232	Measuring Steel Tape	steel tape 5m length made of	Electrician	42	150	6300	GEM/ Open
233	Combination Plier Insulated	Combination plier 200 mm	Electrician	34	130	4420	GEM/ Open
234	Screw Driver Insulated	4mm X 150 mm, Diamond	Electrician	42	80	3360	GEM/ Open
235	Screw Driver Insulated	6mm X 150 mm made of alloy	Electrician	8	70	560	GEM/ Open
236	Electrician screw driver thin	4mm X 100 mm made of alloy	Electrician	17	35	595	GEM/ Open
237	Heavy Duty Screw Driver	5mm X 200 mm made of alloy	Electrician	7	90	630	GEM/ Open
238	Electrician Screw Driver thin	4mm X 250 mm made of alloy	Electrician	8	125	1000	GEM/ Open
239	Punch Centre	9mm X 150 mm ISI Marked	Electrician	8	75	600	GEM/ Open
240	Knife Double Bladed Electrician	Electrician's double blade knife	Electrician	25	90	2250	GEM/ Open
241	Neon Tester	500 V ac/dc voltage supply ISI	Electrician	10	35	350	GEM/ Open
242	Steel Rule Graduated both in	300 mm stainless steel with	Electrician	10	35	350	GEM/ Open
243	Hammer, cross peen with	250 grams, with wooden	Electrician	17	120	2040	GEM/ Open
244	C- Clamp	200 mm and 100 mm ISI Marked	Electrician	2 each	1500	1500	GEM/ Open
245	Spanner Adjustable drop	150 mm & 300mm ISI Marked	Electrician	1-300mm	200	200	GEM/ Open
246	Pully Puller with 3 legs	150 mm & 300mm ISI Marked	Electrician	1-150mm	250	250	GEM/ Open
247	Bearing Puller (inside and	200 mm ISI Marked	Electrician	1-inside	250	250	GEM/ Open
248	Scissors blade, SS	200mmISI Marked	Electrician	4	80	320	GEM/ Open
249	Scissors blade, SS	150 mm ISI Marked	Electrician	2	60	120	GEM/ Open
250	Crimping Tool	1.5 sq mm to 16 sq mm Multi	Electrician	2	500	1000	GEM/ Open
251		16 sq mm to 95 sq mm Multi	Electrician	2	1200	2400	GEM/ Open
252	Wire Cutter and Stripper	150 mm ISI Marked	Electrician	4	600	2400	GEM/ Open
253	Hacksaw frame	Adjustable 300 mm	Electrician	2-fixed	125	250	GEM/ Open

254	Outside Calliper	150 mm spring type ISI Marked	Electrician	2	150	300	GEM/ Open
255	Inside Calliper	150 mm spring type ISI Marked	Electrician	2	150	300	GEM/ Open
256	Divider	150 mm spring type ISI Marked	Electrician	2	150	300	GEM/ Open
257	Pliers long nose insulated	150 mm PVC Insulated ISI	Electrician	4	150	600	GEM/ Open
258	Plane cutters	50 mm X 200mm ISI Marked	Electrician	2	1000	2000	GEM/ Open
259	Smoothing cutters	50 mm X 200mm ISI Marked	Electrician	2	1000	2000	GEM/ Open
260	Gauge, wire imperial stainless	Wire Gauge - Metric Stainless	Electrician	1	250	250	GEM/ Open
261	De soldering Gun	Heat proof nozzle, PVC type,	Electrician	4	80	320	GEM/ Open
262	Table Vice	100 mm jaw ISI Marked	Electrician	6	1000	6000	GEM/ Open
263	Oil Can	250 ml Heavy duty M.S.body oil	Electrician	2	100	200	GEM/ Open
264	Contactora & auxiliary contacts	3 phase, 415 Volt, 25 Amp with	Electrician	2	1200	2400	GEM/ Open
265	Contactora & auxiliary contacts.	3 phase, 415 volt, 32 Amp with	Electrician	2	1400	2800	GEM/ Open
266	Rotary Switch	16 A/440v ISI Marked	Electrician	1	80	80	GEM/ Open
267	Relay-	a. 16A, 440V	Electrician	2 no. each	4000	8000	GEM/ Open
268	Pin Type, shackle type, egg	for 11 kv	Electrician	2 no. each	2000	4000	GEM/ Open
269	Load Bank (Lamp / heater	6 KW, 3Ph ISI Marked	Electrician	1	3500	3500	GEM/ Open
270	Brake Test arrangement with	0 to 25 kg	Electrician	1	1500	1500	GEM/ Open
271	Laboratory Type Induction Coil	1000 W 6 V to 800-10000V	Electrician	2	2000	4000	GEM/ Open
272	Knife Switch DPDT fitted with	16 Amp ISI Marked	Electrician	4	400	1600	GEM/ Open
273	Knife Switch TPDT fitted with	16 Amp/ 440 V ISI Marked	Electrician	4	550	2200	GEM/ Open
274	Earth Plate	60cm X 60cm X 3.15mm Copper	Electrician	1 each	1500	1500	GEM/ Open
275	Earth Electrode	Primary Electrode	Electrician	1	1000	1000	GEM/ Open
276	MCCB	100Amps, Triple pole, 500V, ISI	Electrician	1	2200	2200	GEM/ Open
277	ELCB and RCCB	25Amps, double pole and	Electrician	1 each	2700	5400	GEM/ Open
278	Fuses	HRC, 16 Amp. ISI Marked	Electrician	4	300	1200	GEM/ Open
279		Glass, 6 Amp	Electrician	4	30	120	GEM/ Open
280	Bus bar with brackets	1 mtr each, 4 copper strips, 100	Electrician	3	3000	9000	GEM/ Open
281	Rubber mat	2' x 4' x 1"	Electrician	2	300	600	GEM/ Open
282	Electrician Helmet	Yellow Colour, ISI Marked	Electrician	2	200	400	GEM/ Open
283	RCC Pole with accessories (MS	6 Mtr, with accessories (MS	Electrician	1	4000	4000	GEM/ Open
284	Safety Belt	Standard quality, ISI Marked	Electrician	2	750	1500	GEM/ Open
285	Ohm Meter; Series Type &	50/2000-ohm analog, Portable	Electrician	2 no. each	1500	4500	GEM/ Open
286	Digital Multi Meter	DC 200mv -1000v,0 – 10A & AC	Electrician	12	450	5400	GEM/ Open
287	A.C. Voltmeter M.I. analog,	Multi range 75 V - 150V - 300V -	Electrician	3	2000	6000	GEM/ Open
288	Milli Voltmeter centre zero	100 – 0 – 100 mV Portable	Electrician	2	1000	2000	GEM/ Open
289	Ammeter MC analog, portable	0 - 500 mA, 0-5 A, 0-25 A	Electrician	2 no. each	2000	4000	GEM/ Open
290	AC Ammeter MI, analog,	0 - 1 A, 0-5 A, 0-25 A	Electrician	2 no. each	2000	4000	GEM/ Open
291	Digital Wattmeter	230 V, 1 KW, 50 Hz ISI Marked	Electrician	2	1000	2000	GEM/ Open
292	A.C. Energy Meter	Single Phase, 10A, 240V	Electrician	2	800	1600	GEM/ Open
293	A.C. Energy Meter	Three Phase, 15A, 440V	Electrician	2	1800	3600	GEM/ Open
294	Power Factor Meter Digital	440 V, 20 A, Three Phase	Electrician	2	2500	5000	GEM/ Open
295	Magnetic Flux Meter	0-500 tesla, input = 240v , 50	Electrician	2	2200	4400	GEM/ Open
296	Lux meter	lux meter LCD read out 0.05 to	Electrician	2	1300	2600	GEM/ Open
297	Tong Tester / Clamp Meter	0 - 100 A (Digital Type) Digital	Electrician	1	1000	1000	GEM/ Open
298	Megger	Analog 500 volts ,0 to infinity	Electrician	1	1500	1500	GEM/ Open
299	Phase Sequence Indicator	3 Phase, 415 V ISI Marked	Electrician	2	1000	2000	GEM/ Open
300	Function Generator	2 to 200 KHz, Sine, Square,	Electrician	1	17000	17000	GEM/ Open
301	Temperature controlled	50 Watt, 230 Volt, ISO Company	Electrician	2	5500	11000	GEM/ Open
302	Discrete Component Trainer	Discrete Component (for diode	Electrician	2	12000	24000	GEM/ Open
303	Linear I.C. Trainer	Linear I.C. Trainer with	Electrician	1	6500	6500	GEM/ Open
304	Digital I.C. Trainer	Digital I.C. Trainer 7 segment	Electrician	1	6500	6500	GEM/ Open
305	a. Electric Induction plate	a. 1500 Watt, 240V ISI Marked	Electrician	1	2200	2200	GEM/ Open
306	e. A.C. Ceiling Fan and AC Table	e. 68 Watt, 230 V ISI Marked	Electrician	1-Table Fan	1500	1500	GEM/ Open
307	f. Geyser (Storage type)	f. 10 litre ISI Marked	Electrician	1	3500	3500	GEM/ Open
308	g. Mixture & Grinder	g. 750 W, 240 V ISI Marked	Electrician	1	1400	1400	GEM/ Open
309	h. Washing Machine Semi	h. 5 Kg, ISI Marked	Electrician	1	10000	10000	GEM/ Open
310	Oil Testing Kit	Oil Testing Kit 230 V, single	Electrician	1	18000	18000	GEM/ Open
311	Inverter with Battery	1 KVA with 12 V Battery Input-	Electrician	1	18000	18000	GEM/ Open
312	DC Power Supply	0 - 30 V, 5 A current capacity,	Electrician	1	4000	4000	GEM/ Open
313	Battery Charger	0 - 6 - 9 - 12 - 24 - 48 V, 30amp	Electrician	1	2500	2500	GEM/ Open
314	Potential Transformer	415 V, 50Hz, PT Ratio,	Electrician	2	5000	10000	GEM/ Open
315	Solar panel with Battery	18 Watt, with 12V battery, iso	Electrician	1	2000	2000	GEM/ Open
316	Ink jet/ laser printer	Inkjet Printer with ink	Electrician	1	7000	7000	GEM/ Open
317	Working Bench	2.5 m x 1.20 m x 0.75 m	Electrician	2	5000	10000	GEM/ Open
318	Metal Rack	100cm x 150cm x 45cm	Electrician	3	2500	7500	GEM/ Open
319	Lockers with drawers	36" x 72" x 20" deep 1,steel	Electrician	2-with 8	3500	7000	GEM/ Open
320	Fire Extinguisher CO ₂	2 KG Fire extinguishers of size	Electrician	2	3500	7000	GEM/ Open
321	AC Starters: -	For A.C Motors of 5 H.P. ISI	Electrician	1-	28500	28500	GEM/ Open
322	Oscilloscope Dual Trace	20 MHz, Band width 250	Electrician	1	35000	35000	GEM/ Open
323	Pentium IV Computer or latest	i3 11 gen, 2.8 GHz & above, 8	Electrician	2	27000	54000	GEM/ Open
324	Measuring Steel Tape	steel tape 5m length made of	Electrician	42	150	6300	GEM/ Open
325	Combination Plier Insulated	Combination plier 200 mm	Electrician	25	130	3250	GEM/ Open
326	Screw Driver Insulated	4mm X 150 mm, Diamond	Electrician	42	80	3360	GEM/ Open
327	Screw Driver Insulated	6mm X 150 mm made of alloy	Electrician	26	70	1820	GEM/ Open
328	Electrician screw driver thin	4mm X 100 mm made of alloy	Electrician	9	35	315	GEM/ Open
329	Heavy Duty Screw Driver	5mm X 200 mm made of alloy	Electrician	7	90	630	GEM/ Open
330	Electrician Screw Driver thin	4mm X 250 mm made of alloy	Electrician	30	125	3750	GEM/ Open
331	Punch Centre	9mm X 150 mm ISI Marked	Electrician	17	75	1275	GEM/ Open
332	Knife Double Bladed Electrician	Electrician's double blade knife	Electrician	42	90	3780	GEM/ Open
333	Steel Rule Graduated both in	300 mm stainless steel with	Electrician	21	35	735	GEM/ Open
334	Hammer, cross peen with	250 grams, with wooden	Electrician	18	120	2160	GEM/ Open
335	C- Clamp	200 mm and 100 mm ISI Marked	Electrician	2 each	750	1500	GEM/ Open
336	Spanner Adjustable drop	150 mm & 300mm ISI Marked	Electrician	2-300mm	400	800	GEM/ Open
337	Pully Puller with 3 legs	150 mm & 300mm ISI Marked	Electrician	2-150mm	250	900	GEM/ Open
338	Bearing Puller (inside and	200 mm ISI Marked	Electrician	1-inside	250	250	GEM/ Open
339	Scissors blade, SS	200mm ISI Marked	Electrician	4	80	320	GEM/ Open
340	Scissors blade, SS	150 mm ISI Marked	Electrician	2	60	120	GEM/ Open
341	Crimping Tool	1.5 sq mm to 16 sq mm Multi	Electrician	2	500	1000	GEM/ Open
342		16 sq mm to 95 sq mm Multi	Electrician	2	1200	2400	GEM/ Open
343	Wire Cutter and Stripper	150 mm ISI Marked	Electrician	4	600	2400	GEM/ Open
344	Hacksaw frame	Adjustable 300 mm	Electrician	2-fixed	125	250	GEM/ Open
345	Divider	150 mm spring type ISI Marked	Electrician	2	150	300	GEM/ Open
346	Pliers long nose insulated	150 mm PVC Insulated ISI	Electrician	4	150	600	GEM/ Open

347	Snip Straight and Bent heavy	Snip Straight 250 mm made of	Electrician	1-straight	250	250	GEM/ Open
348	Drill hand brace	0-100mm ISI Marked	Electrician	1	350	350	GEM/ Open
349	Drill S.S. Twist block	2 mm, 5 mm and 6 mm set of 3	Electrician	3	180	540	GEM/ Open
350	Plane cutters	50 mm X 200mm ISI Marked	Electrician	2	1000	2000	GEM/ Open
351	Gauge, wire imperial stainlees	Wire Gauge - Metric Stainless	Electrician	3	250	750	GEM/ Open
352	File flat	200 mm 2nd cut teeth 60	Electrician	1	250	250	GEM/ Open
353	File half round	File half round 2nd cut 200 mm	Electrician	2	250	500	GEM/ Open
354	Table Vice	Table vice of size 100mm jaw	Electrician	8	1000	8000	GEM/ Open
355	Oil Can	250 ml Heavy duty M.S.body oil	Electrician	2	100	200	GEM/ Open
356	Contactora & auxiliary contacts	3 phase, 415 Volt, 25 Amp with	Electrician	2	1200	2400	GEM/ Open
357	Contactora & auxiliary contacts.	3 phase, 415 volt, 32 Amp with	Electrician	2	1400	2800	GEM/ Open
358	Relay-	a. 16A, 440V ISI Marked	Electrician	2 no. each	4000	8000	GEM/ Open
359	Pin Type, shackle type, egg	For 11 KV	Electrician	2 no. each	2000	4000	GEM/ Open
360	Load Bank (Lamp / heater	6 KW, 3Ph ISI Marked	Electrician	1	3500	3500	GEM/ Open
361	Brake Test arrangement with	0 to 25 kg	Electrician	1	1500	1500	GEM/ Open
362	Out Side Micrometer	Outside Micrometer RANGE:0-	Electrician	2	1500	3000	GEM/ Open
363	Thermometer Digital	0° C - 150° C Scale, ISI Marked	Electrician	1	200	200	GEM/ Open
364	Knife Switch DPDT fitted with	16 Amp ISI Marked	Electrician	4	400	1600	GEM/ Open
365	Knife Switch TPDT fitted with	16 Amp/ 440 V ISI Marked	Electrician	4	550	2200	GEM/ Open
366	Earth Plate	60cm X 60cm X 3.15mm Copper	Electrician	1 each	1500	1500	GEM/ Open
367	Earth Electrode	Primary Electrode	Electrician	1	1000	1000	GEM/ Open
368	MCCB	100Amps, Triple pole ISI Marked	Electrician	1	2200	2200	GEM/ Open
369.	ELCB and RCCB	25Amps, double pole and	Electrician	1 each	2700	5400	GEM/ Open
370.	Fuses	HRC, 16 Amp. ISI Marked	Electrician	4	300	1200	GEM/ Open
		Glass 6 Amp.	Electrician	4	30	120	GEM/ Open
371.	Rheostat (Sliding type)	0 - 25 Ohm, 2 Amp ISI Marked	Electrician	1- 0-	450	900	GEM/ Open
372.	Bus bar with brackets	1 mtr each	Electrician	3	3000	9000	GEM/ Open
373.	Rubber mat	2' x 4' x 1"	Electrician	2	300	600	GEM/ Open
374.	Electrician Helmet	Yellow Colour ISI Marked	Electrician	2	200	400	GEM/ Open
375.	RCC Pole with accessories (MS	6 Mtr, with accessories (MS	Electrician	1	4000	4000	GEM/ Open
376.	Safety Belt	Standard quality, ISI Marked	Electrician	2	750	1500	GEM/ Open
377.	Ohm Meter; Series Type &	50/2000-ohm analog, Portable	Electrician	2 no. each	1500	4500	GEM/ Open
378.	Digital Multi Meter	DC 200mv -1000v,0 – 10A & AC	Electrician	12	450	5400	GEM/ Open
379.	A.C. Voltmeter M.I. analog,	Multi range 75 V - 150V - 300V -	Electrician	3	2000	6000	GEM/ Open
380.	Milli Voltmeter centre zero	100 – 0 – 100 mV Portable	Electrician	2	1000	2000	GEM/ Open
381.	Ammeter MC analog, portable	0 - 500 mA, 0-5 A, 0-25 A	Electrician	2 no. each	2000	4000	GEM/ Open
382.	AC Ammeter MI, analog,	0 - 1 A, 0-5 A, 0-25 A	Electrician	2 no. each	2000	4000	GEM/ Open
383.	Digital Wattmeter	230 V, 1 KW, 50 Hz ISI Marked	Electrician	2	1000	2000	GEM/ Open
384.	A.C. Energy Meter	Single Phase, 10 A, 240 V	Electrician	1	800	800	GEM/ Open
385.	A.C. Energy Meter	Three Phase, 15 A , 440 V	Electrician	2	1800	3600	GEM/ Open
386.	Power Factor Meter Digital	440 V, 20 A, Three Phase	Electrician	2	2500	5000	GEM/ Open
387.	Magnetic Flux Meter	0-500 tesla, input = 240v , 50	Electrician	1	2200	2200	GEM/ Open
388.	Lux meter	lux meter LCD read out 0.05 to	Electrician	2	1300	2600	GEM/ Open
389.	Tachometer	Analog Type - 10000 RPM ISI	Electrician	1	1000	1000	GEM/ Open
390.	Wheat Stone Bridge with	The bridge is fully protable with	Electrician	1	2500	2500	GEM/ Open
391.	Phase Sequence Indicator	3 Phase, 415 V ISI Marked	Electrician	2	1000	2000	GEM/ Open
392.	Temperature controlled	50 Watt, 230 Volt ISI/ISO	Electrician	2	5500	11000	GEM/ Open
393.	Discrete Component Trainer	Discrete Component (for diode	Electrician	2	12000	24000	GEM/ Open
394.	Digital I.C. Trainer	Digital I.C. Trainer 7 segment	Electrician	1	6500	6500	GEM/ Open
395.	a. Electric Induction plate	a. 1500 Watt, 240V ISI Marked	Electrician	1	2200	2200	GEM/ Open
396.	e. A.C. Ceiling Fan and AC Table	e. 68 Watt, 230 V ISI Marked	Electrician	1 each	3000	3000	GEM/ Open
397.	g. Mixture & Grinder	g. 750 W, 240 V ISI Marked	Electrician	1	1400	1400	GEM/ Open
398.	h. Washing Machine Semi	h. 5 Kg, ISI Marked	Electrician	1	10000	10000	GEM/ Open
399.	i. Motor Pump set	i. 1 HP, 1 Phase, 240 V ISI	Electrician	1	3500	3500	GEM/ Open
400.	Oil Testing Kit	Oil Testing Kit 230 V, single	Electrician	1	18000	18000	GEM/ Open
401.	Inverter with Battery	1 KVA with 12 V Battery Input-	Electrician	1	18000	18000	GEM/ Open
402.	Potential Transformer	415 V, 50Hz, PT Ratio,	Electrician	1	5000	5000	GEM/ Open
403.	Solar panel with Battery	18 Watt, with 12V battery, iso	Electrician	1	2000	2000	GEM/ Open
404.	Ink jet/ laser printer	Inkjet Printer with ink	Electrician	1	7000	7000	GEM/ Open
405.	AC Squirrel Cage Motor with	5 HP, 3-Phase, 415 V, 50 Hz ISI	Electrician	1	15000	15000	GEM/ Open
406.	Synchronous motor with	3 Phase, 3 HP, 440V, 50Hz, 4	Electrician	1	15000	15000	GEM/ Open
407.	Thyristor /IGBT controlled D.C.	1 HP with tachogenerator	Electrician	1	4500	4500	GEM/ Open
408.	Thyristor/IGBT controlled A.C.	VVVF control 3 Phase, 2 HP	Electrician	1	5000	5000	GEM/ Open
409.	Single phase Transformer, core	1 KVA , 240/415 V, 50 Hz ISI	Electrician	1	2500	2500	GEM/ Open
410.	Three phase transformer, shell	3 KVA , 415/240 V, 50 Hz ISI	Electrician	1	4000	4000	GEM/ Open
411.	Used DC Generators-series,	Capacity 2.5 KW I/P V= 250V	Electrician	1 each	6000	6000	GEM/ Open
412.	Ceiling fan coil Winding	250V, 50 Hz, 1- Φ , with speed	Electrician	1	12000	12000	GEM/ Open
413.	Stepper Motor with Digital	Micro controller kits 2V at 400	Electrician	1	15000	15000	GEM/ Open
414.	Shaded Pole Motor	Fractional HP, 240 V, 50 Hz	Electrician	1	1500	1500	GEM/ Open
415.	Working Bench	2.5 m x 1.20 m x 0.75 m	Electrician	1	5000	5000	GEM/ Open
416.	Metal Rack	100cm x 150cm x 45cm	Electrician	3	2500	7500	GEM/ Open
417.	Lockers with drawers	36" x 72" x 20" deep 1,steel	Electrician	1-with 8	3500	3500	GEM/ Open
418.	AC Starters: -	For A.C Motors of 2 to 5 H.P.	Electrician	1-	25000	25000	GEM/ Open
419.	Digital IV Computer or latest	2.8 GHz & above, 1 GB RAM, 80	Electrician	1	27000	27000	GEM/ Open
420.	D.C. Shunt Generator with	D.C. Shunt Generator with	Electrician	1	26000	26000	GEM/ Open
421.	Electrical Machine Trainer	Suitable for demonstrating the	Electrician	1	45000	45000	GEM/ Open
422.	Primary current injection set	220V, 50 Hz, 1- Φ , output	Electrician	1	40000	40000	GEM/ Open
423.	Diesel Generator Set with	10 KVA, 415 volt or higher rating	Electrician	1	400000	400000	GEM/ Open
424.	Try Square	Having length of 6 inches blade	Fitter	20	70	1,400	GEM/ Open
425.	Centre Punch		Fitter	8	50	400	GEM/ Open
426.	Screw driver	4mm X 150 mm, Diamond	Fitter	38	50	1,900	GEM/ Open
427.	File flat second cut	25cm MATERIAL HIGH CARBON S	Fitter	34	200	6,800	GEM/ Open
428.	File flat smooth	25cm MATERIAL HIGH CARBON	Fitter	40	200	8,400	GEM/ Open
429.	File half round second cut	15cm MATERIAL HIGH CARBON	Fitter	40	238.1	10,000	GEM/ Open
430.	Hacksaw frame fixed	Standard Hacksaw Fixed frame	Fitter	20	150	3,000	GEM/ Open
431.	Safety goggles.	Impact resistant molded lens	Fitter	20	30	630	GEM/ Open
432.	Vernier bevel protractor Blade	300 mm blade with NABL	Fitter	1	3000	3,000	GEM/ Open
433.	Marking table (Mild steel)	900X900X900 mm	Fitter	1	2000	2,000	GEM/ Open
434.	Drill twist straight shank	3 to 12 mm by 0.5 mm H.S.S	Fitter	1set	2000	2,000	GEM/ Open
435.	Drill twist taper Shank	8 mm to 20 mm by ½ mm H.S.S	Fitter	1set	3000	3,000	GEM/ Open
436.	Taps and dies complete set in	wit-worth.MATERIAL HIGH	Fitter	1set	4000	4,000	GEM/ Open
437.	File knife edge smooth	A Standred file knife edge 15cm	Fitter	4	250	1,000	GEM/ Open
438.	File feather edge	A Standred file 15cm MATERIAL	Fitter	4	175	700	GEM/ Open

439.	File round second cut	A Standred file 20cm MATERIAL	Fitter	6	250	1,500	GEM/ Open
440.	File square second cut	A Standred file 25cm MATERIAL	Fitter	4	0	1,000	GEM/ Open
441.	File triangular second cut.	A Standred file 20cm MATERIAL	Fitter	4	0	1,000	GEM/ Open
442.	File flat second cut safe edge	A Standred file 30cm MATERIAL	Fitter	1	250	250	GEM/ Open
443.	File flat bastard	A Standred file 20cm MATERIAL	Fitter	8	175	1,400	GEM/ Open
444.	File half round second cut.	A Standred file 25cm MATERIAL	Fitter	8	350	2,800	GEM/ Open
445.	File half round bastard.	A Standred file 25cm MATERIAL	Fitter	1	300	300	GEM/ Open
446.	File round bastard.	A Standred file 25cm MATERIAL	Fitter	4	250	1,000	GEM/ Open
447.	File hand second cut.	A Standred file 15cm MATERIAL	Fitter	8	150	1,200	GEM/ Open
448.	Card file.	3"x5" size, brass or steel wire	Fitter	6	80	480	GEM/ Open
449.	Wooden handle forged	230V,250W,350gm	Fitter	2	400	800	GEM/ Open
450.	Blow Lamp	0.50 liters.	Fitter	2	500	1,000	GEM/ Open
451.	Interchangeable ratchet socket	12 mm driver, sized10-32 mm	Fitter	1	1800	1,800	GEM/ Open
452.	Double Ended tubular Box	A/F 6-25 mm set of 10 Tommy	Fitter	1	500	500	GEM/ Open
453.	Clamp toolmaker .	5 cm and 7.5 cm set of 2	Fitter	2	500	1,000	GEM/ Open
454.	Hand Reamer set (Tapar pin	Nominal Dia 6, 8, 10, 12, 16mm	Fitter	1	1000	1,000	GEM/ Open
455.	Machine Reamer parallel	Nominal Dia 6, 8, 10, 12, 16mm	Fitter	1	1000	1,000	GEM/ Open
456.	Scraper flat	15cm MATERIAL HIGH CARBON	Fitter	5	50	250	GEM/ Open
457.	Chisel cold cross cut-8 &	9 mm X 150 mm MATERIAL	Fitter	16	100each	800	GEM/ Open
458.	Chisel cold round noze.	9 mm X 100 mm MATERIAL	Fitter	8	100	800	GEM/ Open
459.	Pipe wrench	400 mm	Fitter	1	300	300	GEM/ Open
460.	Wheel dresser (One for 4 units).	Wheel Dresser Diamond (Fitter	1	500	500	GEM/ Open
461.	Machine vice Swivel Base	100mm. Jaw opening (Heavy	Fitter	1	3500	3,500	GEM/ Open
462.	Machine vice Swivel Base	125 mm Heavy duty	Fitter	1	3800	3,800	GEM/ Open
463.	Fire buckets.	Standard Fire Buckets made of	Fitter	2	150	300	GEM/ Open
464.	Machine Vice	100mm Heavy duty	Fitter	2	3500	7,000	GEM/ Open
465.	Power tools for fastening	Capacity 10-18mm	Fitter	1	3000	3,000	GEM/ Open
466.	Different Profile gauges (Plate	Metric standard	Fitter	4	2000	8,000	GEM/ Open
467.	Knurling tool (Diamond-1,	(Diamond-1, straight-1 &	Fitter	3	500*3	1,500	GEM/ Open
468.	Indexable boring bar with	1" shank	Fitter	4nos	600	2,400	GEM/ Open
469.	Machine maintenance manual	Manual of Royal Co. Of	Fitter	4	200/-each	1,000	GEM/ Open
470.	Temperature gauge(Digital)	Range 0 - 150°C	Fitter	1	300	300	GEM/ Open
471.	Dowel pin (straight)	Dia. -1" Length -4" (Mat:	Fitter	1	100	100	GEM/ Open
472.	Standard Tap screws (M3-1no,	M3, M4, M5, M6, M8, M10,	Fitter	9	10	10	GEM/ Open
473.	Lapping plate	Dia. -6"	Fitter	1	500	500	GEM/ Open
474.	Caps screws (M6-2no, M8-2no,	M6, M8, M10, M12	Fitter	8	10/-each	40	GEM/ Open
475.	Drill gauges (Letter drill gauge	Letter drill gauge (A to Z) ,	Fitter	6	100	200	GEM/ Open
476.	Cast Iron Globe Valve (Flanged	150NB, Class# 150	Fitter	2	1300	2,600	GEM/ Open
477.	C.I. Sluice / Gate valve (flanged	150NB, Class# 150	Fitter	2	1200	2,400	GEM/ Open
478.	Stop cock	25NB (2-way, Threaded end)	Fitter	2	400	800	GEM/ Open
479.	M.S. Pipe (150NB, Sch.40,	150NB, Sch.40, ERW, IS:1239	Fitter	1	500per feet	4,500	GEM/ Open
480.	G.I. Pipe	25mm, Sch.40, ERW	Fitter	20	30	600	GEM/ Open
481.	Slip-on Forged steel Flange	150NB, ANSI-B16.5, Class#150	Fitter	4		1,500	GEM/ Open
482.	Pipe threading die with handle	Ratchet type Die handle of 1/2"	Fitter	2	1000	2,000	GEM/ Open
483.	Pulleys (for V-belt-1, Flat belt-	to fit on 50mm dia. Shaft with	Fitter	2	500	1,000	GEM/ Open
484.	Damaged old spur gear	to fit 50mm dia. Shaft	Fitter	2	500	1,000	GEM/ Open
485.	V-belt-1 and Flat belt-1	to fit on pulley	Fitter	2	250	500	GEM/ Open
486.	Packing gasket	PTFE gasket roll small size	Fitter	1	500	500	GEM/ Open
487.	Washer-2nos., clutch-2nos.,	minimum 25mm size, carbon	Fitter	12	20	200	GEM/ Open
488.	Bearing different types	each type of diameter 25mm	Fitter	1	200	800	GEM/ Open
489.	Lifting sling	8mm Nominal Dia. Single leg	Fitter	2	500	1,000	GEM/ Open
490.	Bearing Puller (inside and	200mm (Universal gear puller 2	Fitter	1	200	200	GEM/ Open
491.	Pulley Puller with 3 legs	150mm (Universal gear puller 2	Fitter	1	400	400	GEM/ Open
492.	Gauge snap Go and No Go (25	25 to 50 mm by 5mm. Set of 6	Fitter	1	1200	1,200	GEM/ Open
493.	Gauge plug (single 3 ended 5 to	single 3 ended 5 to 55 by 5 mm.	Fitter	1	3000	3,000	GEM/ Open
494.	Gauge telescopic	8 to 150 mm.	Fitter	1	3000	3,000	GEM/ Open
495.	Dial vernier caliper	0 – 300 mm LCO 0.05 mm.	Fitter	1	4000	4,000	GEM/ Open
496.	Screw thread micrometer with	0-25mm Least count .01mm	Fitter	1	3500	3,500	GEM/ Open
497.	Digital Micrometer out side	0-25mm. L.C. 0.001mm Made	Fitter	1	4500	4,500	GEM/ Open
498.	Engineer's try square (knife-	150 mm blade.	Fitter	1	150	150	GEM/ Open
499.	Pipe bender spool type with	up to 25 mm cold bending	Fitter	1	1000	1,000	GEM/ Open
500.	Adjustable pipe chain tonge to	up to 300 mm	Fitter	1	800	800	GEM/ Open
501.	Adjustable spanner	380 mm long	Fitter	1	250	250	GEM/ Open
502.	Pneumatic Workstation with 40	Workstation with 40sqre mm	Fitter	1	15000	15,000	GEM/ Open
503.	Carrier for mounting	Carrier for mounting	Fitter	1no	4000	4,000	GEM/ Open
504.	Cut section model for	(1)Single acting cylinder(2)	Fitter	1	6000	6,000	GEM/ Open
505.	Hydraulic Workstation with 40	(1) Work Table – Size(Approx.)	Fitter	1	15000	15,000	GEM/ Open
506.	Cut-section models for	3/2 way Directly Actuated	Fitter	1	15000	15,000	GEM/ Open
507.	Pneumatic Trainer Kit, each		Fitter	1 Set	50000	50,000	GEM/ Open
	I Single acting cylinder	Max. stroke length 50 mm,	Fitter	1no			GEM/ Open
	II. Double acting cylinder	Max. stroke length 100 mm,	Fitter	1no			GEM/ Open
	III. 3/2-way valve	manually-actuated, Normally	Fitter	2nos			GEM/ Open
	IV. 3/2-way valve	pneumatically-actuated	Fitter	1no			GEM/ Open
	V. One-way flow control valve	Operating pressure 60 Bar,	Fitter	2nos			GEM/ Open
	VI. 5/2-way valve	with manually-operated switch	Fitter	1no			GEM/ Open
	VII. 5/2-way valve	pneumatically-actuated, spring	Fitter	1no			GEM/ Open
	VIII. 5/2-way pneumatic	double pilot	Fitter	1no			GEM/ Open
	IX. 3/2-way roller lever valve	direct actuation Normally	Fitter	2nos			GEM/ Open
	X. Shuttle valve (OR)	Pressure Range 1-16 Bar	Fitter	1no			GEM/ Open
	XI. Two-pressure valve (AND)	0-16 bar	Fitter	1no			GEM/ Open
	XII. Pressure gauge	0-16 bar	Fitter	1no			GEM/ Open
	XIII. Manifold with self-closing	NRV, 6-way	Fitter	1no			GEM/ Open
	XIV. Pushbutton station for	with 3 illuminated momentary-	Fitter	1no			GEM/ Open
	XV. Relay station	with 3 relays each with four	Fitter	1no			GEM/ Open
	XVI. 3/2-way single solenoid	with LED	Fitter	1no			GEM/ Open
	XVII. 5/2-way single solenoid	with manual override and LED	Fitter	1no			GEM/ Open
	XVIII. 5/2-way double solenoid	Input voltage 85 – 265 V AC,	Fitter	1no			GEM/ Open
	XIX. Power supply unit,	1100x700 mm, with carriers,	Fitter	1no			GEM/ Open
	XX. Profile plate, Anodised	(1) Work Table – Size(Approx.)	Fitter	1set			GEM/ Open
508.	Hydraulic Trainer Kit, each		Fitter	1set	60000	60,000	GEM/ Open
	I. Hydraulic Power pack	with (1) external gear pump	Fitter	1 No.			GEM/ Open
	II. Pressure relief valve	pilot-operated	Fitter	1 No.			GEM/ Open
	III. Drip tray, steel	size 1160 mm x 760 mm.	Fitter	1 No.			GEM/ Open

	IV. Pressure Gauge	Glycerin-damped, Indication	Fitter	1 No.			GEM/ Open
	V. Four-Way distributor	with five ports, equipped with	Fitter	1 No.			GEM/ Open
	VI. Double acting hydraulic	with a control cam, Piston	Fitter	1 No.			GEM/ Open
	VII. Suitable Weight	for vertical loading of hydraulic	Fitter	1 No.			GEM/ Open
	VIII. Mounting kit for weight	for realizing pulling and pushing	Fitter	1 No.			GEM/ Open
	IX. 3/2-way directional control	with hand lever actuation.	Fitter	1 No.			GEM/ Open
	X. 4/2-way directional control	with hand lever actuation.	Fitter	1 No.			GEM/ Open
	XI. 4/3-way directional control	closed-centre position, with	Fitter	1 No.			GEM/ Open
	XII. Non-return valve.	0-100 Bar pressure.	Fitter	1 No.			GEM/ Open
	XIII. Pilot-operated check valve	Pilot to open.	Fitter	1 No.			GEM/ Open
	XIV. One-way flow control valve	With integrated check valve.	Fitter	1 No.			GEM/ Open
	XV. T-Connector with self	Anodised Aluminium, 1100x700	Fitter	2 No.			GEM/ Open
	XVI. Profile plate	Anodised Aluminium, 1100x700	Fitter	1set			GEM/ Open
509	Allen Key set of 12 pieces (2mm	12 pieces (2mm to 14mm)	Mech. Tractor	12	500	6000	GEM/ Open
510	Caliper inside 15 cm Spring	spring type,size15cm	Mech. Tractor	5	80	400	GEM/ Open
511	Calipers outside 15 cm spring	spring type size15cm	Mech. Tractor	12	37	444	GEM/ Open
512	Center Punch 10 mm. Dia. x 100	10 mm. Dia. x 100 mm.made of	Mech. Tractor	12	30	360	GEM/ Open
513	Dividers 15 cm Spring	Dividers 15 cm Spring Hardened	Mech. Tractor	12	40	480	GEM/ Open
514	Electrician Screw Driver 250mm	Electrician Screw Driver 250mm	Mech. Tractor	12	100	1200	GEM/ Open
515	Hammer ball peen 0.5 kg with ha	ball peen 0.5 kg. with wooden	Mech. Tractor	10	70	700	GEM/ Open
516	Hands file 20 cm. Second cut flat	Hands file 20 cm. Second cut	Mech. Tractor	12	120	1440	GEM/ Open
517	Phillips Screw Driver set of 5	Phillips Screw driver 5 pieces	Mech. Tractor	12	500	6000	GEM/ Open
518	Pliers combination 20 cm.	Combination type 20cm	Mech. Tractor	10	120	1200	GEM/ Open
519	Screw driver 20cm.X 9mm. Blade	Screwdriver 20cm X 9mm blade	Mech. Tractor	12	90	1080	GEM/ Open
520	Screw driver 30 cm. X 9 mm. Blad	Screwdriver 30cm X 9mm blade	Mech. Tractor	6	100	600	GEM/ Open
521	Scriber 15 cm	15 cm Forged carbon steel head	Mech. Tractor	12	50	600	GEM/ Open
522	Spanner D.E. set of 12 pieces	Double ended 12 pieces size 15	Mech. Tractor	12	750	9000	GEM/ Open
523	Spanner, ring set of 12 metric	Spanner, ring 12piece size 6 to	Mech. Tractor	12	1000	12000	GEM/ Open
524	Spanners socket with speed	Spanners socket with speed	Mech. Tractor	12	2000	24000	GEM/ Open
525	Steel rule 30 cm inch and metric	Rule steel 300 mm to read	Mech. Tractor	12	80	960	GEM/ Open
526	Steel tool box with lock and	Steel tool box with lock and key	Mech. Tractor	12	300	3600	GEM/ Open
527	Wire cutter and stripper	Wire cutter and stripper Auto	Mech. Tractor	12	250	3000	GEM/ Open
528	Adjustable spanner (pipe	Adjustable spanner (pipe	Mech. Tractor	1	700	700	GEM/ Open
529	Air blow gun with standard	Air blow gun Copper body with	Mech. Tractor	1	1500	1500	GEM/ Open
530	Air impact wrench with	Air impact wrench Working	Mech. Tractor	4	3500	14000	GEM/ Open
531	Air ratchet with standard access	Air ratchet Speed 150 - 170	Mech. Tractor	4	3500	14000	GEM/ Open
532	Allen Key set of 12 pieces (2mm	Allen Key of 12 pcs. 2mm - 14	Mech. Tractor	2	1000	2000	GEM/ Open
533	Alternator for tractor –	Original,working	Mech. Tractor	2	5000	10000	GEM/ Open
534	Ammeter 300A/ 60A DC with	Ammeter 300A/ 60A DC with	Mech. Tractor	4	3500	14000	GEM/ Open
535	Angle plate adjustable 250x150x	Angle plate adjustable	Mech. Tractor	1	25000	25000	GEM/ Open
536	Angle plate size 200x100x200mm	Angleplate size	Mech. Tractor	2	2500	5000	GEM/ Open
537	Anvil 50 Kgs with Stand	Anvil 50Kgs with Stand cast	Mech. Tractor	1	3000	3000	GEM/ Open
538	Arbor press hand operated 2	Arborpress hand operated 2	Mech. Tractor	1	2500	2500	GEM/ Open
539	Auto Electrical test bench	Auto Electrical Test Bench is	Mech. Tractor	1	4500	4500	GEM/ Open
540	Battery –charger	6V – 24 V 20 Amp with digital	Mech. Tractor	2	5000	10000	GEM/ Open
541	Belt Tensioner gauge	tensioning all automotive V-	Mech. Tractor	1	2500	2500	GEM/ Open
542	Blow Lamp 1 litre	2 pint, tank capacity 1100ml	Mech. Tractor	2	800	1600	GEM/ Open
543	Caliper inside 15 cm Spring	Caliper inside 15 cm Spring	Mech. Tractor	4	80	320	GEM/ Open
544	Calipers outside 15 cm spring	Calipers outside 15 cm spring	Mech. Tractor	4	80	320	GEM/ Open
545	Car Jet washer with standard acc	Car Jet washer with standard	Mech. Tractor	1	200	200	GEM/ Open
546	Chain Pulley Block-3 ton	3000 kg capacity heavy duty	Mech. Tractor	1	4500	4500	GEM/ Open
547	Chaser hard W/V 9 to 40 T.P.I.	Chaser hard W/V 9 to 40 T.P.I.	Mech. Tractor	1 SET	4500	4500	GEM/ Open
548	Chaser, hand W/W 9 to 40	Chaser,hand W/W9 to40 T.P.I.	Mech. Tractor	1 SET	4500	4500	GEM/ Open
549	Chisel 10 cm flat	chisel cold flat with face size	Mech. Tractor	2	90	180	GEM/ Open
550	Chisels cross cut 200 mm X 6mm	crose cut 200mm*6 mm	Mech. Tractor	4	100	400	GEM/ Open
551	Circlip pliers Expanding and	15 cm and 20 cm circlip pliers	Mech. Tractor	4	450	1800	GEM/ Open
552	Clamps C 100mm	Clamps C 100mm IS 9181-1988	Mech. Tractor	2	600	1200	GEM/ Open
553	Clamps C 150mm	Clamps C 150mm IS 9181-1988	Mech. Tractor	2	600	1200	GEM/ Open
554	Clamps C 200mm	Clamps C 200mm IS 9181-1988	Mech. Tractor	2	600	1200	GEM/ Open
555	Cleaning tray 45x30 cm.	Cleaning tray 45x30 cm.Leak	Mech. Tractor	4	150	600	GEM/ Open
556	Clutches, different types such	cone type, disc type	Mech. Tractor	1 each	5500	5500	GEM/ Open
557	Compression testing gauge	pressure release with steel	Mech. Tractor	1	5000	5000	GEM/ Open
558	Connecting rod alignment fixture	Premium gradeConnecting Rod	Mech. Tractor	1	12000	12000	GEM/ Open
559	Copper bit soldering iron 0.25 Kg	Copper bit soldering iron 0.25	Mech. Tractor	4	500	2000	GEM/ Open
560	Cut section model of fuel filter	Cut section model of fuel filter	Mech. Tractor	1	1000	1000	GEM/ Open
561	Cylinder bore gauge capacity 20	Bore dial gauge with extantion	Mech. Tractor	4	4500	18000	GEM/ Open
562	Cylinder liner- Dry & wet liner,	Cylinder liner- Dry & wet	Mech. Tractor	1 each	10000	10000	GEM/ Open
563	Depth micrometer 0-25mm	depth micro metter 0 to 25 mm	Mech. Tractor	4	3000	12000	GEM/ Open
564	Dial gauge type 1 Gr. A	Dial gauge type 1 Gr. A(Mech. Tractor	4	3375	13500	GEM/ Open
565	Different type of Engine	Different type of Engine	Mech. Tractor	1 set	1200	1200	GEM/ Open
566	Different type of piston model	Different type of piston model (Mech. Tractor	1 set	2000	2000	GEM/ Open
567	Dividers 15 cm Spring	Dividers 15 cm Spring Hardened	Mech. Tractor	4	80	320	GEM/ Open
568	Drift Punch Copper 15 Cm	drift punch copper 15 cm., 8	Mech. Tractor	4	600	2400	GEM/ Open
569	Drift, copper 10 x 15 1/2 mm	Drift, copper 10 x 15 1/2 mm	Mech. Tractor	2	800	1600	GEM/ Open
570	Drill point angle gauge	Material Steel, Measures 64ths	Mech. Tractor	1	500	500	GEM/ Open
571	Drill twist 1.5 mm to 15 mm	Drill twist 1.5 to 15 mm	Mech. Tractor	4	150	600	GEM/ Open
572	Electric Soldering Iron 230 V 60	Electric Soldering Iron 230V 60	Mech. Tractor	2 each	600	1200	GEM/ Open
573	Electric testing screw driver	Material of Blade:#45 Carbon	Mech. Tractor	4	150	600	GEM/ Open
574	Engineer's square 15 cm. Blade	Try square 15 cm. Blade in inch	Mech. Tractor	4	300	1200	GEM/ Open
575	Engineers stethoscope	Suitable for detecting faults in	Mech. Tractor	1	4500	4500	GEM/ Open
576	Equipment puncture, in box,	Box of M.S STEEL size 2'x1'x1'	Mech. Tractor	1	500	500	GEM/ Open
577	Feeler gauge 20 blades (metric)	Feeler gauge 20 blades (0.04 to	Mech. Tractor	2	200	400	GEM/ Open
578	File flat 20 cm bastard	Flat File 20 cm long Bastard	Mech. Tractor	3	130	390	GEM/ Open
579	File, half round 20 cm second cut	File half round 20 cm second	Mech. Tractor	4	110	440	GEM/ Open
580	File, Square 20 cm second cut	File,square 20 cm second cut	Mech. Tractor	4	115	460	GEM/ Open
581	File, Square 30 cm round	File,square 30 cm round made	Mech. Tractor	1	240	240	GEM/ Open
582	File, triangular 15 cm second cut	File triangular 15 cm second cut	Mech. Tractor	4	120	480	GEM/ Open
583	Files assorted sizes and types	Files assorted size sand types	Mech. Tractor	2 set	280	560	GEM/ Open
584	Flat File 25 cm second cut	Flat File 25 cm second cut made	Mech. Tractor	4	130	520	GEM/ Open
585	Flat File 35 cm bastard	Flat File 35 cm Bastard made of	Mech. Tractor	4	120	480	GEM/ Open
586	Glow plug tester	Power input 8,5–15 Volt Max.	Mech. Tractor	2	4500	9000	GEM/ Open
587	Granite surface plate 1600 x	1600*1000*150 mm grade zero	Mech. Tractor	1	15000	15000	GEM/ Open
588	Grease Gun	Heavy duty steel head, Air	Mech. Tractor	1	5000	5000	GEM/ Open

589	Grover – 3, 4, 6mm.	Grover – 3, 4, 6 mm	Mech. Tractor	1 Each	380	380	GEM/ Open
590	Growler	single phase a/c operation for	Mech. Tractor	2	3800	7600	GEM/ Open
591	Hacksaw frame adjustable 20-30	Hacksaw frame adjustable 20 -	Mech. Tractor	1	350	350	GEM/ Open
592	Hammer Ball Peen 0.75 Kg	ball peen Hammer 0.75 kg.	Mech. Tractor	4	100	400	GEM/ Open
593	Hammer Chipping 0.25 Kg	Hammer Chipping 0.25 Kg	Mech. Tractor	4	100	400	GEM/ Open
594	Hammer copper 1 Kg with handle	Hammer copper 1Kg with	Mech. Tractor	4	150	600	GEM/ Open
595	Hammer Mallet	Mallet medium size size - 6" (Mech. Tractor	4	100	400	GEM/ Open
596	Hand operated crimping tool (i)	Hand operated crimping tool (i)	Mech. Tractor	2	1500	3000	GEM/ Open
597	Hand reamers adjustable 10.5	10.5 to 11.25 mm, 11.25 to	Mech. Tractor	2 set	3000	6000	GEM/ Open
598	Hand Shear Universal 250mm	Hand Shear Universal 250 mm	Mech. Tractor	2	250	500	GEM/ Open
599	Hand vice – 37 mm	37mm	Mech. Tractor	2	250	500	GEM/ Open
600	Hollow Punch set of seven	Hollow punch of 7 pcs. 6mm -	Mech. Tractor	2 Set each	260	520	GEM/ Open
601	Hydraulic jack HI-LIFT type -3	Min HT 130, Max HT410,	Mech. Tractor	1	3500	3500	GEM/ Open
602	Injector – Multi hole type,	Injector– Multi hole type, Pintle	Mech. Tractor	4	625	2500	GEM/ Open
603	Injector cleaning unit	1500-2000bar multi spray	Mech. Tractor	1	6000	6000	GEM/ Open
604	Insulated Screw driver 20 cm x	Screw driver unbreakable	Mech. Tractor	8	125	1000	GEM/ Open
605	Insulated Screw driver 30 cm x	Screw driver unbreakable	Mech. Tractor	8	150	1200	GEM/ Open
606	Lifting jack screw type 3 ton capacity	Screw jack bolthe type C.I. Body	Mech. Tractor	4	700	2800	GEM/ Open
607	Magneto spanner set with 8	Magneto spanner with 8	Mech. Tractor	1 set	1200	1200	GEM/ Open
608	Magnifying glass 75mm	Magnifying glass with metal	Mech. Tractor	2	400	800	GEM/ Open
609	Marking out table 90X60X90 cm.	Marking out table 90 X 60 X 90	Mech. Tractor	1	2500	2500	GEM/ Open
610	Multi Scan Tool	Multi Scan Tool for petrol and	Mech. Tractor	1	5500	5500	GEM/ Open
611	Multimeter digital	dc-200mv-1000-v,0-	Mech. Tractor	5	800	4000	GEM/ Open
612	Oil can 0.5/0.25 liter capacity	0.5/0.25 liter capacity	Mech. Tractor	2	150	300	GEM/ Open
613	Oil pump for dismantling and assembly	Gear type / rotor type oil pump	Mech. Tractor	2	5000	10000	GEM/ Open
614	Oil Stone 15 cm x 5 cm x 2.5 cm	Oil Stone 15cm x 5 cm x 2.5 cm	Mech. Tractor	1	150	150	GEM/ Open
615	Oscilloscope 20MHz	Oscilloscope20MHz	Mech. Tractor	1	15000	15000	GEM/ Open
616	Outside micrometer 0 to 25 mm	0 to 25 mm	Mech. Tractor	4	4500	18000	GEM/ Open
617	Outside micrometer 25 to 50 mm	25 to 50 mm	Mech. Tractor	4	5000	20000	GEM/ Open
618	Outside micrometer 75 to 100 mm	75 to 100 mm	Mech. Tractor	1	4500	4500	GEM/ Open
619	Philips Screw Driver set of 5	Philips Screw Driver of 5pieces	Mech. Tractor	2 Set	450	900	GEM/ Open
620	Pipe cutting tool	Fast, clean pipe cutting by	Mech. Tractor	2	450	900	GEM/ Open
621	Pipe flaring tool	ISI MARK	Mech. Tractor	2	450	900	GEM/ Open
622	Piston Ring expander and remover	50-100mm (2" - 3-15/16")	Mech. Tractor	1	250	250	GEM/ Open
623	Piston Ring groove cleaner.	For pistons with grooves of	Mech. Tractor	1	100	100	GEM/ Open
624	Pliers combination 20 cm.	Combination type 20 cm	Mech. Tractor	1	200	200	GEM/ Open
625	Pliers flat nose 15 cm	Flat e plier 15 cm Professional	Mech. Tractor	1	250	250	GEM/ Open
626	Pliers round nose 15 cm	Round e plier 15 cm	Mech. Tractor	2	250	500	GEM/ Open
627	Pliers side cutting 15 cm	Pliers side cutting 15 cm long	Mech. Tractor	2	250	500	GEM/ Open
628	Portable electric drill Machine	Rated power input 500 W, No-	Mech. Tractor	1	2000	2000	GEM/ Open
629	Portable oil monitoring indicator	0-12 v, indicator	Mech. Tractor	1	4500	4500	GEM/ Open
630	Power Supply 0-12 v, lamp	0-12 v, lamp	Mech. Tractor	1	200	200	GEM/ Open
631	Prick Punch 15 cm	Prick punch 15cm. High grade	Mech. Tractor	4	100	400	GEM/ Open
632	Punch Letter 4mm	4 mm Carbon SteelHardened &	Mech. Tractor	2 set	200	400	GEM/ Open
633	Radiator cut section-cross flow	Radiator cut section-cross flow	Mech. Tractor	1	4000	4000	GEM/ Open
634	Radiator cut section-down flow	Radiator cut section-down flow	Mech. Tractor	1	4000	4000	GEM/ Open
635	Radiator pressure cap	Radiator pressure cap for diesel	Mech. Tractor	2	50	100	GEM/ Open
636	Rake		Mech. Tractor	1	2500	2500	GEM/ Open
637	Rear axle assembly-gear box	300*300mm	Mech. Tractor	1 set	25000	25000	GEM/ Open
638	Ridger.	The FARMKING MOUNTED	Mech. Tractor	2	5000	10000	GEM/ Open
639	Rivet sets snap and Dolly	Rivet s snap and Dolly	Mech. Tractor	4	2500	10000	GEM/ Open
640	Scraper flat 25 cm	Scraper flat 25 cm	Mech. Tractor	2	150	300	GEM/ Open
641	Scraper half round 25 cm	Scraper half round 25cm	Mech. Tractor	2	50	100	GEM/ Open
642	Scraper Triangular 25 cm	Scraper Triangular 25 cm	Mech. Tractor	2	50	100	GEM/ Open
643	Scriber 15 cm	Scriber straight booth and	Mech. Tractor	2	80	160	GEM/ Open
644	Scriber with scribing black universal	Scriber with scribing block	Mech. Tractor	2	80	160	GEM/ Open
645	Set of stock and dies - UNC,	5mm to24 mm H C S	Mech. Tractor	2 set	1500	3000	GEM/ Open
646	Soldering Copper Hatchet type	Soldering Copper Hatchet 500	Mech. Tractor	4	450	1800	GEM/ Open
647	Spanner Clyburn 15 cm	spanner Clyburn 15 cm spanner	Mech. Tractor	1	500	500	GEM/ Open
648	Spanner D.E. set of 12 pieces	Double ended 12 metric size 6	Mech. Tractor	4	1000	4000	GEM/ Open
649	Spanner T. flocks for screwing	ISI MARK	Mech. Tractor	2	300	600	GEM/ Open
650	Spanner, adjustable 15cm.	Adjustable spanner (pipe	Mech. Tractor	2	375	750	GEM/ Open
651	Spanner, ring set of 12 metric	Bi-hexagonal ring spanner drop	Mech. Tractor	2	1000	2000	GEM/ Open
652	Spanners socket with speed	Hex or Bi-Hex 6mm to 32 mm	Mech. Tractor	2	2000	4000	GEM/ Open
653	Spirit level 2V 250, 05 metre	Spirit level 2View 250, 05 metre	Mech. Tractor	2	250	500	GEM/ Open
654	Spring tension tester	Spring tension tester range 0 -	Mech. Tractor	1	500	500	GEM/ Open
655	Stake grooving.	stake grooving	Mech. Tractor	2	2500	5000	GEM/ Open
656	Stake, hatchet.	T" shaped stake, made of	Mech. Tractor	2	2400	4800	GEM/ Open
657	Steel measuring tape 10 meter	Blade width 13mm., Tape	Mech. Tractor	4	100	400	GEM/ Open
658	Steel rule 15 cm inch and metric	Standard Steel Rule of 15cm	Mech. Tractor	4	38	152	GEM/ Open
659	Steel rule 30 cm inch and metric	Standard Steel Rule of 30cm	Mech. Tractor	4	50	200	GEM/ Open
660	Steel wire Brush 50mmx150mm	150 X 50 mm 5 rows and 3 rows	Mech. Tractor	4	50	200	GEM/ Open
661	Stone, carborandum 15 x 5 x 4	Coarse on one side and fine on	Mech. Tractor	1 each	80	80	GEM/ Open
662	Straight edge gauge 2 ft.	Length (in) 2', Length (mm)	Mech. Tractor	2	800	1600	GEM/ Open
663	Straight edge gauge 4 ft.	4ft	Mech. Tractor	2	1600	3200	GEM/ Open
664	Stud extractor set of 3	ISI MARK	Mech. Tractor	2 set	800	1600	GEM/ Open
665	Stud remover with socket handle	Stud remover (soutable to	Mech. Tractor	1	1200	1200	GEM/ Open
666	Surface gauge with dial test	surface gauge with dial test	Mech. Tractor	2	1250	2500	GEM/ Open
667	Tachometer (Counting type)	Rotating surface may be	Mech. Tractor	1	4500	4500	GEM/ Open
668	Taps and Dies complete sets (5 to	Taps and Dies complete in box	Mech. Tractor	1 set	2500	2500	GEM/ Open
669	Taps and wrenches - Metric	5mm to24 mm H C S	Mech. Tractor	2 set	1000	2000	GEM/ Open
670	Telescope gauge	telesopic Gauges With knurled	Mech. Tractor	4	4500	18000	GEM/ Open
671	Temperature gauge 0-100 deg c	Bimetallic	Mech. Tractor	2	500	1000	GEM/ Open
672	Thermostat	Bimetallic	Mech. Tractor	2	800	1600	GEM/ Open
673	Thread pitch gauge metric, BSW	Thread pitch gauge metric,	Mech. Tractor	1	150	150	GEM/ Open
674	Torque wrenches 5-35 Nm, 12-	Click-type torque wrench, with	Mech. Tractor	1 each	15000	15000	GEM/ Open
675	Trammel 30 cm	Maximum diving Range 300	Mech. Tractor	2	500	1000	GEM/ Open
676	Turbocharger cut sectional view	turbo charger cut section (use	Mech. Tractor	1	3500	3500	GEM/ Open
677	Tyre pressure gauge with	tyre pressure gauge to read	Mech. Tractor	1	450	450	GEM/ Open
678	Universal puller for removing	drop forge steel three leg with	Mech. Tractor	1	3000	3000	GEM/ Open
679	V' Block 75 x 38 mm pair with	V' block pair with clamps 7.5 x	Mech. Tractor	2	700	1400	GEM/ Open
680	Vacuum gauge to read 0 to 760	to read 120 kg/sq. cm and	Mech. Tractor	2	1750	3500	GEM/ Open
681	Valve Lifter	Valve Lifter	Mech. Tractor	1	200	200	GEM/ Open

682	Valve spring compressor univers	Valve spring compressor	Mech. Tractor	1	1000	1000	GEM/ Open
683	vernier caliper 0-300 mm with	Vernier caliper 150 or 200 mm	Mech. Tractor	4	3000	12000	GEM/ Open
684	Vice grip pliers	chrome vanadium steel	Mech. Tractor	2	1000	2000	GEM/ Open
685	Voltmeter 50V/DC	Volt meter 50V/DC digital	Mech. Tractor	4	500	2000	GEM/ Open
686	Water pump for dismantling	Water pump for dismantling	Mech. Tractor	2	1500	3000	GEM/ Open
687	Wing compass 25 cm	Wing compass 25 cm	Mech. Tractor	2	90	180	GEM/ Open
688	Wire Gauge (metric)	Wire Gauge (metric) Imperial	Mech. Tractor	4	400	1600	GEM/ Open
689	Work bench 250 x 120 x 60 cm	size 250x120x60 cm frame	Mech. Tractor	2	9000	18000	GEM/ Open
690	Arbor press hand operated 2	Arbor press hand operated 2	Mech. Tractor	1	2500	2500	GEM/ Open
691	Automotive exhaust 5 gas	Auto motive exhaust 5 gas	Mech. Tractor	1	15000	15000	GEM/ Open
692	Bench lever shears 250mm	Discrete Component Trainer /	Mech. Tractor	1	3500	3500	GEM/ Open
693	Discrete Component Trainer /	Discrete Component Trainer /	Mech. Tractor	1	1200	1200	GEM/ Open
694	Drilling machine bench to drill	Drilling machine bench to drill	Mech. Tractor	1	12000	12000	GEM/ Open
695	Gas Welding Table 1220mm x760	Table 1220mm x 760mm frame,	Mech. Tractor	1	5000	5000	GEM/ Open
696	Multi Scan Tool	Multi scan tool petrol and	Mech. Tractor	1	5500	5500	GEM/ Open
697	P.T.O. operated rotary lawn mov	Tractor mounted lawn mower	Mech. Tractor	1	15000	15000	GEM/ Open
698	Pneumatic rivet gun	Pneumatic rivet gun	Mech. Tractor	2	2250	4500	GEM/ Open
699	Spring tension tester	Spring tension tester range 0 -	Mech. Tractor	1	5000	5000	GEM/ Open
700	Welding plant Oxy-Acetylene	WELDING PLANT	Mech. Tractor	1	10000	10000	GEM/ Open
701	Book shelf (glass panel) 6½ ' x 3'	6½ ' x 3' x 1½'	Mech. Tractor	2	1500	3000	GEM/ Open
702	Computer Chair	ISI MARK	Mech. Tractor	2	500	1000	GEM/ Open
703	Computer Table	ISI MARK	Mech. Tractor	2	1000	2000	GEM/ Open
704	Discussion Table 8' x 4' x 2½'	8' x 4' x 2½'	Mech. Tractor	2	2500	5000	GEM/ Open
705	Fire Extinguishers, first- aid box	Good quality	Mech. Tractor	4	2500	10000	GEM/ Open
706	Instructional Material – NIMI	Good quality	Mech. Tractor	2 set	500	1000	GEM/ Open
707	Internet connection with all	Good quality	Mech. Tractor	1	1000	1000	GEM/ Open
708	Laser printer	hp laser jet p1606dn	Mech. Tractor	1	5000	5000	GEM/ Open
709	LCD projector/ LED /LCD TV (42")	Good quality	Mech. Tractor	1	25000	25000	GEM/ Open
710	Multimedia DVD for	Good quality	Mech. Tractor	2 set	2500	5000	GEM/ Open
711	Online UPS 2KVA	2KVA	Mech. Tractor	1	2500	2500	GEM/ Open
712	Storage Rack 6½ ' x 3' x 1½'	6½ ' x 3' x 1½'	Mech. Tractor	2	1500	3000	GEM/ Open
713	Storage shelf 6½ ' x 3' x 1½'	6½ ' x 3' x 1½'	Mech. Tractor	5	2000	10000	GEM/ Open
714	Tool Cabinet - 6½ ' x 3' x 1½'	6½ ' x 3' x 1½'	Mech. Tractor	2	2500	5000	GEM/ Open
715	Trainees locker 6½ ' x 3' x 1½'	6½ ' x 3' x 1½'	Mech. Tractor	2	2500	5000	GEM/ Open
716	Desktop computer and related	ISI MARK	Mech. Tractor	2	30000	60000	GEM/ Open
717	Stools	Good quality	Mech. Tractor	42	1000	42000	GEM/ Open
718	Tractor Diesel Engine 4 stroke	35-45 HP, Power Stearing	Mech. Tractor	1	600000	600000	GEM/ Open
719	File flat rough double cut	200mm	RAC	48	250	12,000	GEM/ Open
720	File, half round, fine double	length 150mm	RAC	48	250	12,000	GEM/ Open
721	File, round, fine double cut	length 150mm	RAC	48	250	12,000	GEM/ Open
722	File flat, fine double cut,	length 150mm	RAC	48	200	9,600	GEM/ Open
723	File square, fine double cut,	length 150mm	RAC	48	250	12,000	GEM/ Open
724	File triangular fine double	length 150mm	RAC	48	250	12,000	GEM/ Open
725	Scriber	150mm length	RAC	14	100	1,400	GEM/ Open
726	Centre punch	length 100mm	RAC	48	75	3,600	GEM/ Open
727	Try square	150 mm	RAC	48	300	14,400	GEM/ Open
728	Divider spring joint	length 150mm	RAC	48	225	10,800	GEM/ Open
729	Caliper spring joint in side	length 150mm	RAC	48	225	10,800	GEM/ Open
730	Caliper, odd leg, spring joint	length 150mm	RAC	48	225	10,800	GEM/ Open
731	Hammer ball pein	220 gms	RAC	48	200	9,600	GEM/ Open
732	Cold Chisel flat and cross cut.	length 150mm	RAC	48	150	7,200	GEM/ Open
733	Engineers rule	300mm long	RAC	14	100	1,400	GEM/ Open
734	Tape measuring	10m graduation in mm	RAC	48	300	14,400	GEM/ Open
735	Pliers combination insulated	length 200mm	RAC	48	300	14,400	GEM/ Open
736	Pliers long nose	200 mm	RAC	48	240	11,520	GEM/ Open
737	Pliers flat nose	150mm	RAC	48	240	11,520	GEM/ Open
738	Line tester	500 v heavy duty	RAC	48	80	3,840	GEM/ Open
739	Tweezers	10 cm	RAC	48	30	1,440	GEM/ Open
740	Surface plate	45 x45 cms	RAC	1	4,200	4,200	GEM/ Open
741	Oil can	500 ml	RAC	5	300	1,500	GEM/ Open
742	Bench vice	150to 300mm jaw	RAC	12	2,200	26,400	GEM/ Open
743	Hack saw tubular metal	300mm	RAC	12	300	3,600	GEM/ Open
744	Anvil	100X200mm	RAC	1	9,000	9,000	GEM/ Open
745	Stakes [different Types]	100mm	RAC	1	500	500	GEM/ Open
746	Tin smith	400mm	RAC	1	1,000	1,000	GEM/ Open
747	Wooden mallet /Nylon	500 gm good finish	RAC	5	250	1,250	GEM/ Open
748	Round Punch	3mm,4mm,6mm	RAC	5	250	1,250	GEM/ Open
749	Electrical drill portable drill	capacity 6.4mm	RAC	5	3,000	15,000	GEM/ Open
750	Screw driver, plastic handle,	6mm TIP length 100mm to	RAC	6	175	1,050	GEM/ Open
751	Screw driver, plastic handle,	10mm TIP length 200mm &	RAC	6	150	900	GEM/ Open
752	Screw driver, plastic handle,	handle 3mm TIP length	RAC	5	300	1,500	GEM/ Open
753	Knife folded stainless steel –	150mm	RAC	12	150	1,800	GEM/ Open
754	Tong tester (clamp on	0-10-30 amps 0-500 v	RAC	5	1,000	5,000	GEM/ Open
755	Tenon saw	250 mm	RAC	5	300	1,500	GEM/ Open
756	Firmer chisel	6,12,25mm	RAC	2	200	400	GEM/ Open
757	Fire buckets	10 Liter	RAC	3	600	1,800	GEM/ Open
758	Ring spanner	6 -32 mm	RAC	10	2,000	20,000	GEM/ Open
759	Quick couples, process tube	1/4" and 3/8"	RAC	4	500	2,000	GEM/ Open
760	Tong Close mouth and pick	Close mouth and pick up	RAC	1	120	120	GEM/ Open
761	Welding table for gas/Arc	1200x760	RAC	1	8,000	8,000	GEM/ Open
762	Flaring tool set, single type	4.7mm to 16mm O.D	RAC	5	900	4,500	GEM/ Open
763	Pipe cutter miniature for	3mm to 16mm DIA	RAC	5	300	1,500	GEM/ Open
764	Pinch of tool, for copper	6mm to 18mm DIA	RAC	5	400	2,000	GEM/ Open
765	Ratchet spanner	6.4 sq.mm reversible	RAC	5	2,500	12,500	GEM/ Open
766	Capillary plug gauge		RAC	5	300	1,500	GEM/ Open
767	Piercing pliers & reversing	6-18mm	RAC	5	1,500	7,500	GEM/ Open
768	Spanner double ended	4.7mm to 16mm	RAC	5	500	2,500	GEM/ Open
769	Ring spanner off set	4.7mm to 16mm	RAC	5	2,000	10,000	GEM/ Open
770	Wrench adjustable	length 200mm	RAC	5	400	2,000	GEM/ Open
771	Wrench adjustable	length 250mm	RAC	5	500	2,500	GEM/ Open
772	Valve key handle[Treated as	4.7mm & 6.4mm sq.	RAC	5	200	1,000	GEM/ Open
773	(Hollo) Punch hole for	4.7mm to 16mm die	RAC	2	200	400	GEM/ Open
774	Scissor, gasket cutting	length 25mm	RAC	5	100	500	GEM/ Open

775	L-Allen key	set size 1.5mm to 6.4mm	RAC	5	600	3,000	GEM/ Open
776	T-Allen key set	size 5/32" to 1/8"	RAC	5	700	3,500	GEM/ Open
777	Pipe cutter with built in	3mm to 32mm	RAC	5	700	3,500	GEM/ Open
778	Pipe /Tube bender lever type	3mm to 16mm	RAC	1	7,100	7,100	GEM/ Open
779	Spanner double ended	19mm to 31.8 mm	RAC	5	2,500	12,500	GEM/ Open
780	Lapping plate	250mm x 200mm	RAC	2	5,000	10,000	GEM/ Open
781	Hammer ball peen	450 gms	RAC	5	350	1,750	GEM/ Open
782	Puller 3 legged with flexible	300mm	RAC	5	1,200	6,000	GEM/ Open
783	Hand blower portable	1/10 HP	RAC	2	3,500	7,000	GEM/ Open
784	Spirit level precision metallic	200mm	RAC	2	400	800	GEM/ Open
785	Tap set with matching drills	3 mm to 16mm	RAC	3	3,000	9,000	GEM/ Open
786	Tap set with matching drills	1/4" to 5/8"	RAC	3	4,000	12,000	GEM/ Open
787	Refrigerant cylinder	2.5 Kg	RAC	3	700	2,100	GEM/ Open
788	Heating kit with infrared	(200 w capacity)	RAC	2	600	1,200	GEM/ Open
789	Plumbing hammer weight	200 gm.	RAC	2	150	300	GEM/ Open
790	Cylinder 134a	5kg	RAC	1	2,000	2,000	GEM/ Open
791	Torque wrench	300mm-12.7mm	RAC	1	700	700	GEM/ Open
792	Piercing valve	1/4 inch	RAC	2	500	1,000	GEM/ Open
793	Feeler guage	0.05mm to 1mm	RAC	3	200	600	GEM/ Open
794	Four way reversible valve		RAC	1	1,500	1,500	GEM/ Open
795	Vernier hight guage	300mm, LC 0.02	RAC	1	2,500	2,500	GEM/ Open
796	Tape measuring graduation	2 m	RAC	5	500	2,500	GEM/ Open
797	Voltmeter, AC/DC portable	0 to 500 volt	RAC	5	7,000	35,000	GEM/ Open
798	Ammeter, AC/DC portable	0 to 30 amp	RAC	5	7,000	35,000	GEM/ Open
799	Megger	1000v	RAC	5	3,500	17,500	GEM/ Open
800	Wattmeter multi-range up to	1 KW	RAC	1	3,500	3,500	GEM/ Open
801	Multimeter digital type		RAC	5	1,200	6,000	GEM/ Open
802	Service Oscillator		RAC	1	20,000	20,000	GEM/ Open
803	C.R.O Single beam	5 MHZ	RAC	2	90,000	180,000	GEM/ Open
804	C.R.O Dual trace/ Double	60 MHZ	RAC	2	15,000	30,000	GEM/ Open
805	A.F.O Oscillators	20 KHz	RAC	2	18,000	36,000	GEM/ Open
806	Pressure gauge Digital type	diameter 63mm with	RAC	5	1,500	7,500	GEM/ Open
807	Compound gauge, Digital	diameter 63mm, with	RAC	5	1,500	7,500	GEM/ Open
808	Service man thermometer in	- 30 C to +30 C	RAC	5	300	1,500	GEM/ Open
809	Gas leak detector for	In which spirit is used.	RAC	2	2,500	5,000	GEM/ Open
810	Electronic leak detector		RAC	2	500	1,000	GEM/ Open
811	Stop watch	Least count must be in	RAC	2	2,000	4,000	GEM/ Open
812	Venire caliper	length 250mm	RAC	2	1,500	3,000	GEM/ Open
813	Micrometer outside	0 to 25mm	RAC	2	2,000	4,000	GEM/ Open
814	Multimeter	Analog type	RAC	5	1,500	7,500	GEM/ Open
815	Tachometer digital, multi	0 r m p to 3000 r m p.	RAC	2	500	1,000	GEM/ Open
816	Micron vacuum gauge	capable of reading up to 20	RAC	2	700	1,400	GEM/ Open
817	Sensor thermometer (digital)	-50 degree Celsius to 150	RAC	2	500	1,000	GEM/ Open
818	Fin straightened/fin comb.	With strong steel wire/fiber	RAC	3	600	1,800	GEM/ Open
819	Filler gauge	0.05 mm - 1 mm (filler)	RAC	3	1,500	4,500	GEM/ Open
820	Wire gauge metric and	Steel plate embossing	RAC	2	300	600	GEM/ Open
821	Dial thermometer remote	75mm - 50C to +50 C	RAC	3	1,000	3,000	GEM/ Open
822	Anemometer	Digital type	RAC	1	1,200	1,200	GEM/ Open
823	Compressors testers for	Fixed with electrical input/	RAC	2	2,000	4,000	GEM/ Open
824	Digital thermometer	Graduated disc analogy type	RAC	1	600	600	GEM/ Open
825	Temperature & Humidity	Capacity to record 24	RAC	1	5,000	5,000	GEM/ Open
826	Instrumentation screw	100mm	RAC	5	500	2,500	GEM/ Open
827	Digital weighing machine	100 kg	RAC	1	700	700	GEM/ Open
828	Split phase induction motor	1 hp, 230 V	RAC	1	4000	4,000	GEM/ Open
829	BLDC motor with controller	15-30 watts, 315 volts DC	RAC	2	1500	3,000	GEM/ Open
830	IDU Pulse generator type	15 watt, 230 volts AC	RAC	2	5000	10,000	GEM/ Open
831	Capacitor start induction	1 Hp, 230 V	RAC	1	6000	6,000	GEM/ Open
832	AC 3 Phase motor, 400/50hz	2 Hp	RAC	1	13000	13,000	GEM/ Open
833	Star delta starter	2 hp	RAC	1	3000	3,000	GEM/ Open
834	Auto Transformer starter	3 hp	RAC	1	3500	3,500	GEM/ Open
835	Portable air - LPC brazing kit	2 kg. LPG cylinder, torches,	RAC	1	4500	4,500	GEM/ Open
836	Oxy-acetylene welding set	cylinders, regulators,	RAC	1	20000	20,000	GEM/ Open
837	Single door direct cool	185 L	RAC	1	13000	13,000	GEM/ Open
838	Frost free refrigerator	200L carrying with HC blend	RAC	2	20000	40,000	GEM/ Open
839	Three/four door refrigerator	300L carrying with HC R-600a	RAC	2	30000	60,000	GEM/ Open
840	Core drilling machine		RAC	1		-	GEM/ Open
841	Bench Drilling machine	20 mm capacity, 200-2500rpm	RAC	1	35000	35,000	GEM/ Open Tender
842	Grinding Machine	200mm, 3000rpm, Double	RAC	1	18000	18,000	GEM/ Open
843	Evacuating and refrigerant	(CAP. 2 kg. in lieu of (b)	RAC	1	35000	35,000	GEM/ Open
844	Evacuating and charging		RAC	1		-	GEM/ Open
845	Two stage rotary vacuum	capacity approx. 60 - 100	RAC	1	23000	23,000	GEM/ Open
846	Dry N2 in cylinder	2 stage regular or	RAC	1	15000	15,000	GEM/ Open
847	Window A.C	1 Ton with R-22 Blend	RAC	2	20000	40,000	GEM/ Open
848	Split A.C	1.5 Ton with R-134a or R-22	RAC	2	25000	50,000	GEM/ Open
849	Duct able split A.C 1.5 ton	1.5 Ton with R-134a or R-22	RAC	1	54000	54,000	GEM/ Open
850	Recovery unit with cylinders	CFC, HFC & HCFC	RAC	1	15000	15,000	GEM/ Open
851	Decibel meter	30-100db	RAC	1	1000	1,000	GEM/ Open
852	De-scaling pump set	With stainless steel impeller	RAC	1	25000	25,000	GEM/ Open
853	Fan coil unit	with water valves (2 & 3	RAC	1	20000	20,000	GEM/ Open
854	Shell and tube, DX chillers	5 Ton with Cu tubing only	RAC	1	13000	13,000	GEM/ Open
855	Circulating water pump	0.5 H.P with stainless steel	RAC	1	12000	12,000	GEM/ Open
856	Refrigerant cylinder	10 kg capacity	RAC	2	5000	10,000	GEM/ Open
857	Gauge manifold with guages	Different sizes of hoses for	RAC	3	1000	3,000	GEM/ Open
858	Shell and tube type	5 Ton	RAC	1	13000	13,000	GEM/ Open
859	Rotary hermetic compressor	2 Ton	RAC	1	12000	12,000	GEM/ Open
860	Bottle cooler visible	200 L carrying with HFC-	RAC	1	20000	20,000	GEM/ Open
861	Deep freezer	200 L carrying with	RAC	1	22000	22,000	GEM/ Open

862	Display cabinet	2 ton capacity	RAC	1	2000	2,000	GEM/ Open
863	Water cooler storage type	200 L carrying with HFC-	RAC	1	23000	23,000	GEM/ Open
864	Water dispenser bubble	2.5 to 3 ltr delivery capacity	RAC	1	20000	20,000	GEM/ Open
865	Bus AC tutorial model		RAC	1	2,000	2,000	GEM/ Open
866	Automatic ice cube m/c	50kg/hour	RAC	1	5,000	5,000	GEM/ Open
867	Storage type water cooler (RAC	1	20,000	20,000	GEM/ Open
868	Visi cooler	185L	RAC	1	10,000	10,000	GEM/ Open
869	VRF/VRV unit with two		RAC	1	20,000	20,000	GEM/ Open
870	Split A/C (inverter	1.5TR	RAC	2	50,000	100,000	GEM/ Open
871	Walk in cooler PUF	temperature 00-50 c	RAC	1	5,000	5,000	GEM/ Open
872	Absorption system	Small size	RAC	1	5,000	5,000	GEM/ Open
873	Class room table	One table for each trainee	RAC	48	4000	192,000	GEM/ Open
874	Work bench	2000 x1000 x 700 mm with	RAC	12	10000	120,000	GEM/ Open
875	Amirah	195 x90 x 48 cm outer sheet	RAC	8	7000	56,000	GEM/ Open
876	Lockers	195 x 90 x 48 set six locker	RAC	4	8000	32,000	GEM/ Open
877	Glass board portable	2.5'X4' with stand	RAC	4	7000	28,000	GEM/ Open
878	Instructor table	4'X2'X2.5' with steel tubular	RAC	2	15000	30,000	GEM/ Open
879	Instructor chair	Standard revolving with	RAC	2	4000	8,000	GEM/ Open
880	Computer table	Standard with drawers &	RAC	2	20000	40,000	GEM/ Open
881	Computer chair	Revolving type metal based	RAC	2	4000	8,000	GEM/ Open
882	White board	4'X3' ferrous base sheet to	RAC	2	70000	140,000	GEM/ Open
883	Chart stand	6'X3' providing with hanging	RAC	2	5000	10,000	GEM/ Open
884	Computer with printer and	Latest configuration	RAC	2	40000	80,000	GEM/ Open
885	LCD PROJECTOR / LED / LCD	Big Size	RAC	2	80000	160,000	GEM/ Open
886	Laptop	Latest version	RAC	2	48000	96,000	GEM/ Open
887	UPS	2 KVA	RAC	2	4000	8,000	GEM/ Open
888	Copier machine		RAC	1	50000	50,000	GEM/ Open
889	Interactive Board	Latest version	RAC	2	100000	200,000	GEM/ Open
890	Stool	2' x 1.5'	RAC	31	500	15,500	GEM/ Open
891	Book Self with glass panel	6' x 3'	RAC	2	6000	12,000	GEM/ Open
892	Storage rack	6' x 3'	RAC	4	4000	16,000	GEM/ Open
893	Storage shelf	6' x 3'	RAC	4	4000	16,000	GEM/ Open
894	All in one PC	i3/i5/i7 or latest processor 512GB Hard Disk, 8GB-Ram, Screen Size-19" or Higher, Operating system- window10 Pro or latest.	Information & Communication Technology (ICT) infrastructure	10	68000	680000	GEM/ Open Tender
895	Laptop	i3/i5/i7 or latest processor 512GB Hard Disk, 8GB-Ram, Screen Size-14" or Higher, Operating system- window10 Pro or latest.	Information & Communication Technology (ICT) infrastructure	2	68000	136000	GEM/ Open Tender
896	Multifunctional Printer	Type of Machine - Multi	Information	2	30000	60000	GEM/ Open
897	Fully automatic Photo state Machine	Copying Speed: Minimum 25 Copies Per Minute in A4,Built-In Duplex Unit, 2 x 500 Sheets Cassette, 25% to 400% Zoom, Ethernet, USB 2.0 (interface)	Information & Communication Technology (ICT) infrastructure	2	250000	500000	GEM/ Open Tender
898	UPS 600VA /800VA	600VA/800VA Over Voltage Protection, Back up 25-30min (Approx),	Information & Communication Technology (ICT) infrastructure	2	2000	4000	GEM/ Open Tender
899	Split Ac-1.5 Ton	Rotary/Swing Compressor (Copper),Condensor Coil-Copper, Maximum operating temperature -50°C or higher.	Information & Communication Technology (ICT) infrastructure	2	50000	100000	GEM/ Open Tender
900	Digitalized books and e-	Various Subjects	Purchase of books and of		50000	50000	GEM/ Open
901	CD's and other learning	Various Subjects	Purchase of books and of		50000	50000	GEM/ Open
902	Smart Boards with	70 Inch or Higher, Interactive	Purchase of b	1	300000	300000	GEM/ Open
903	Misc.	TCPC cell standard	TCPC Cell (M	1	250000	250000	GEM/ Open
					Total Amount-	16377954/-	

Principal,
Govt ITI, Faridkot.